

**Crosslinked Alkyl Acrylates as Used in Cosmetics**

---

**November 17, 2011**

The 2011 Cosmetic Ingredient Review Expert Panel members are: Chair, Wilma F. Bergfeld, M.D., F.A.C.P.; Donald V. Belsito, M.D.; Ronald A. Hill, Ph.D.; Curtis D. Klaassen, Ph.D.; Daniel Liebler, Ph.D.; James G. Marks, Jr., M.D., Ronald C. Shank, Ph.D.; Thomas J. Slaga, Ph.D.; and Paul W. Snyder, D.V.M., Ph.D. The CIR Director is F. Alan Andersen, Ph.D. This report was prepared by Monice M. Fiume, Senior Scientific Analyst/Writer, Bart Heldreth, Ph.D., Chemist, CIR, and Ivan Boyer, Ph.D., Senior Toxicologist, CIR.

**© Cosmetic Ingredient Review**

1101 17th Street, NW, Suite 412 ♦ Washington, DC 20036-4702 ♦ ph 202.331.0651 ♦ fax 202.331.0088 ♦

[cirinfo@cir-safety.org](mailto:cirinfo@cir-safety.org)

## **ABSTRACT**

*The CIR Expert Panel assessed the safety of crosslinked alkyl acrylates as used in cosmetics. The 23 crosslinked alkyl acrylates included in this safety assessment are reported to function as absorbents, film formers, emulsion stabilizers, viscosity increasing agents, suspending agents, binders, and/or skin conditioning agents. The Panel reviewed available animal and clinical data, as well as information from previous CIR reports on monomer components. Because data were not available for the individual ingredients, and because residual monomer may be present, the Panel extrapolated from previous reports to support safety. The Panel concluded that crosslinked alkyl acrylates are safe in the present practices of use and concentration, provided that they are not polymerized in benzene. For those ingredients polymerized in benzene, the data available were insufficient to make a determination of safety. A risk assessment for the amount of benzene present would be needed.*

## **INTRODUCTION**

This draft final report includes information relevant to the safety of 23 crosslinked alkyl acrylates as used in cosmetic formulations. These crosslinked polymers consist of co-monomers of at least one of: acrylic acid, sodium acrylate, methacrylic acid, or alkyl acrylate that share chemical properties, including a general lack of chemical reactivity. The ingredients included in this group are:

Acrylates/C10-30Alkyl Acrylate Crosspolymer

Acrylates/C12-13 Alkyl Methacrylates/Methoxyethyl Acrylate Crosspolymer

Acrylates Crosspolymer

Acrylates/Ethylhexyl Acrylate Crosspolymer

Acrylates/Ethylhexyl Acrylate/Glycidyl Methacrylate Crosspolymer

Acrylates/PEG-4 Dimethacrylate Crosspolymer

Acrylates/Steareth-20 Methacrylate Crosspolymer

Acrylates/Vinyl Isodecanoate Crosspolymer

Acrylates/Vinyl Neodecanoate Crosspolymer

Allyl Methacrylate/Glycol Dimethacrylate Crosspolymer

Allyl Methacrylates Crosspolymer

Butyl Acrylate/Glycol Dimethacrylate Crosspolymer

C8-22 Alkyl Acrylates/Methacrylic Acid Crosspolymer

Glycol Dimethacrylate/Vinyl Alcohol Crosspolymer

Lauryl Methacrylate/Glycol Dimethacrylate Crosspolymer

Lauryl Methacrylate/Sodium Methacrylate Crosspolymer

Methacrylic Acid/PEG-6 Methacrylate/PEG-6 Dimethacrylate Crosspolymer

PEG/PPG-5/2 Methacrylate/Methacrylic Acid Crosspolymer

Potassium Acrylates/C10-30 Alkyl Acrylate Crosspolymer

Sodium Acrylates Crosspolymer-2

Sodium Acrylates/C10-30 Alkyl Acrylate Crosspolymer

Sodium Acrylates/Vinyl Isodecanoate Crosspolymer

Stearyl/Lauryl Methacrylate Crosspolymer

These ingredients are reported to function in cosmetics as absorbents, film formers, emulsion stabilizers, viscosity increasing agents, suspending agents, binders, or skin conditioning agents.

In 2002, the Cosmetic Ingredient Review (CIR) published the Final Report on the Safety Assessment of Acrylates Copolymer and 33 Related Cosmetic Ingredients.<sup>1</sup> The Panel concluded that those ingredients were safe for use in cosmetics when formulated to avoid skin irritation. While copolymers are polymers synthesized from two or more different monomers, crosspolymers are polymers that are crosslinked (i.e. individual polymer chains are connected by bridging molecules [crosslinking agents]). Crosslinked polymers are generally less chemically reactive and less soluble (if not totally insoluble) than their respective non-crosslinked counterparts.


A CIR report on another family of polymers is also available. In 1982, the CIR published the Final Report on the Safety Assessment of Carbomers-934, -910, -934P, 940, -941, and -962, in which it was concluded that carbomers are safe as used.<sup>2</sup> That conclusion was reaffirmed in 2003.<sup>3</sup> A carbomer is a homopolymer of acrylic acid crosslinked with an allyl ether of pentaerythritol, an allyl ether of sucrose, or an allyl ether of propylene.<sup>4</sup>

Due to the paucity of published safety and toxicity data on these ingredients, this draft report includes summary information included in technical data sheets, ingredient specification sheets, and material safety data sheets (MSDSs); this information is identified as such.

## **CHEMISTRY**

### **Definition and Structure**

Crosslinked alkyl acrylates are crosslinked polymers in which the co-monomers consist of at least one of the following: acrylic acid, sodium acrylate, methacrylic acid, or alkyl acrylate. Whereas polymers consisting purely of acrylic acid are often referred to as “carbomers,” copolymers comprised of mixtures of acrylic acid and alkyl acrylate monomers may sometimes be referred to as “alkyl carbomers.” In that vein, most of the ingredients in this report could be classified as ***crosslinked*** alkyl carbomers. For example, dodecyl (C12 alkyl) acrylate, acrylic acid, and methacrylic acid could be copolymerized and crosslinked with diallyl sucrose to form an acrylates/C10-30 alkyl acrylate crosspolymer with the internal structure:



Accordingly, although all of the monomers and crosslinking agents may be the same, two polymers with very different physical properties may share the same name under INCI conventions. The definitions and structures of the ingredients included in this review are provided in Table 1.

### Physical and Chemical Properties

The available physical and chemical property information is provided in Table 2. The properties of a single ingredient, such as the above crosspolymer, can vary from a highly swellable, soft material to an unswellable, very hard material because of the multitude of possible reaction conditions and methods involved in the manufacture of these polymers. The nature of these ingredients is highly dependent on the identity of the alcohol radicals of these acrylate esters (e.g., the stearyl and lauryl groups of stearyl/lauryl methacrylate crosspolymer).<sup>5</sup> Acrylate crosspolymers that correspond to one INCI name often have many trade names, and production processes may vary for different trade name products bearing the same INCI name. Since the products may have different properties, the trade name is included in parenthesis when available.

The polymers in this group share a general lack of chemical reactivity that renders them nearly impervious to degradation. These ingredients are essentially insensitive to solar ultraviolet light (UV) degradation, as the primary UV absorption of acrylics is at a lower wavelength.

### Method of Manufacture

Crosslinked alkyl acrylates are typically produced via free-radical, head-to-tail chain-propagation polymerization.<sup>5</sup> The most common method is the emulsion method, but bulk and solution methods are also used. The marked variability in the identity of monomers and crosslinking agents, the ratio of co-monomers, the order of addition of co-monomers, the level of crosslinking, and other reaction conditions in the polymerization process can significantly alter the polymeric structure and properties of the product.<sup>6</sup> Additionally, post-synthesis, mechanical processing of these products can also significantly affect the consistency of these ingredients. These variables will likely differ from vendor to vendor, and possibly even from batch to batch.

Table 3a lists the monomers used to create these crosspolymers (based on INCI definition), and Table 3b names the crosslinking compounds and initiators used.<sup>4</sup>

#### ***Acrylates/C10-30 Alkyl Acrylate Crosspolymer***

According to a trade product technical data sheet, acrylates/C10-30 alkyl acrylate crosspolymer (as Pemulen) is polymerized in an ethyl acetate-cyclohexane mixture.<sup>7</sup> Another source reports that acrylates/C10-30 alkyl acrylate crosspolymer may be polymerized in benzene.<sup>8</sup> A third supplier reports that acrylates/C10-30 alkyl acrylate crosspolymer is polymerized in n-hexane.<sup>9</sup>

#### ***Acrylates/Steareth-20 Methacrylate Crosspolymer***

Acrylates/steareth-20 methacrylate crosspolymer (as Aculyn 88 polymer) is manufactured by an emulsion polymerization process.<sup>10</sup>

#### ***Acrylates/Vinyl Isodecanoate Crosspolymer***

Acrylates/vinyl isodecanoate crosspolymer (as Stabylen 30) is produced synthetically by a free radical polymerization.<sup>11</sup>

#### ***Acrylates/Vinyl Neodecanoate Crosspolymer***

Acrylates/vinyl neodecanoate crosspolymer (as Aculyn 38 polymer) is manufactured by an emulsion polymerization process.<sup>12</sup>

### **Impurities and Residual Monomer or Solvent**

#### ***Acrylates/C10-30 Alkyl Acrylate Crosspolymer***

According to product specification sheets from one company, acrylates/C10-30 alkyl acrylate crosspolymer can contain (total) residual solvent (ethyl acetate + cyclohexane) at a maximum of 0.45% (Carbopol 1382; Carbopol Ultrez 20; Carbopol Ultrez 21)<sup>13-15</sup> or 0.5% (Pemulen TR1; Pemulen TR2; Carbopol ETD 2020).<sup>16-18</sup> Another supplier, who uses n-hexane as a solvent, reported that the maximum residual solvent in the polymer is 0.2% n-hexane.<sup>9</sup>

As Carbopol 1342, the product specifications state that acrylates/C10-30 alkyl acrylate crosspolymer can contain 0.5% (max.) residual benzene.<sup>19</sup> A supplier reported that analysis of 40 lots of Carbopol 1342 indicated that the average level of benzene was 0.25%, and the level ranged from 0.04-0.41% benzene.<sup>20</sup> (According to the European Commission Cosmetics Directive, benzene cannot be present as a constituent of other substances, or in mixtures, in concentrations equal to, or greater than 0.1% by weight.<sup>21</sup> As another point of reference, United States Pharmacopeia (USP) limits for benzene for several carbomers manufactured with benzene range from 0.01-0.5%.<sup>22</sup>)

One source stated that residual monomer content of acrylates/C10-30 alkyl acrylate crosspolymer (trade name not provided) is typically less than 0.25% acrylic acid and less than 0.5% residual ester (C10-30 alkyl acrylate),<sup>8</sup> while another stated that acrylic acid monomer content is <0.1%.<sup>23</sup>

### ***Acrylates Crosspolymer***

One source reported that acrylates crosspolymer contained <0.005% methyl methacrylate and <0.005% butyl acrylate,<sup>24</sup> and another reported 0.005% (max) of methyl methacrylate, ethylene methacrylate, and isobutyl methacrylate, and that acrylates crosspolymer did not contain residual solvents or preservatives.<sup>25</sup>

### ***Acrylates /Steareth-20 Methacrylate Crosspolymer***

The composition of acrylates/steareth-20 methacrylate crosspolymer (as Aculyn 88 polymer) is stated as 28.0-30.0% acrylates/steareth-20 methacrylate crosspolymer, <0.01% residual monomer, 70.0-72.0% solvent (water), and 0.195% (max) sodium benzoate.<sup>10</sup> According to actual analytical specifications, the amount of residual ethyl acrylate present is ≤0.0001%.

### ***Acrylates/Vinyl Isodecanoate Crosspolymer***

The residual acrylic acid monomer content of acrylates/vinyl isodecanoate crosspolymer (Stabylen 30) is reported to be <0.05% by weight.<sup>11</sup>

### ***Acrylates/Vinyl Neodecanoate Crosspolymer***

The composition of acrylates/vinyl neodecanoate crosspolymer (as Aculyn 38 polymer) is stated as 28.0-30.0% acrylates/vinyl neodecanoate crosspolymer, <0.1% residual monomer, and 70.0-72.0% solvent (water).<sup>12</sup> According to actual analytical specifications, the amount of residual ethyl acrylate present was ≤0.0001%.

Another source reported the residual monomer level of acrylates/vinyl neodecanoate crosspolymer is <0.01%.<sup>26</sup>

### ***Lauryl Methacrylate/Glycol Dimethacrylate Crosspolymer***

*The residual monomer levels of lauryl methacrylate/glycol dimethacrylate crosspolymer are <0.01% lauryl methacrylate and <0.01 ppm ethylene glycol dimethacrylate.<sup>27</sup> Lauryl methacrylate/glycol dimethacrylate crosspolymer has a residual solvent level of ≤0.1% isopropanol. The ingredient can contain up to 2% adsorbed water.*

### ***Sodium Acrylates Crosspolymer-2***

The maximum amount of residual monomer content in sodium acrylates crosspolymer-2 (Aqua Keep 10SH-NFC) is 0.02%.<sup>28</sup>

## USE

### **Cosmetic**

Crosslinked alkyl acrylates are reported to function as absorbents, film formers, emulsion stabilizers, viscosity increasing agents, suspending agents, binders, and/or skin conditioning agents in cosmetic formulations.<sup>4</sup> Acrylates/C10-30 alkyl acrylate crosspolymer functions as a primary emulsifier in oil-in-water emulsions.<sup>7</sup> Voluntary Cosmetic Registration Program (VCRP) data obtained in 2011,<sup>29</sup> and concentration of use information received in response to a survey conducted by the Personal Care Products Council,<sup>30</sup> indicate that 11 of the 23 crosslinked alkyl acrylates named in this report currently are used in cosmetic formulations. Acrylates/C10-30 alkyl acrylate crosspolymer has the greatest number of uses, with 1696 reported; 1365 of those uses are in leave-on products. Acrylates crosspolymer, acrylates/vinyl isodecanoate crosspolymer, acrylates/vinyl neodecanoate crosspolymer, allyl methacrylates crosspolymer, lauryl methacrylate/glycol dimethacrylate crosspolymer, lauryl methacrylate/sodium methacrylate crosspolymer, and sodium acrylates/C10-30 alkyl acrylate crosspolymer are all used in less than 75 formulations.

Some acrylates/C10-30 alkyl acrylate crosspolymers are polymerized in benzene; the highest reported concentrations of use of this ingredient when polymerized in benzene are 0.4 and 1.1% for leave-on and rinse-off products, respectively.<sup>31</sup> The use concentrations for acrylates/C10-30 alkyl acrylate crosspolymer not polymerized in benzene are up to 5% in leave-on and rinse-off products; 5% is the highest rinse-off concentration of use of the crosslinked alkyl acrylates. The highest concentration of use reported in leave-on crosslinked alkyl acrylates is 6% acrylates/ethylhexyl acrylate crosspolymer.<sup>30</sup> Frequency and concentration of use data are provided in Table 4a. The ingredients not reported to be used are listed in Table 4b.

Products containing some crosslinked alkyl acrylates may be applied to baby skin, used near the eye area or mucous membranes, or could possibly be ingested or inhaled. In practice, 95% to 99% of the particles released from cosmetic sprays have aerodynamic equivalent diameters in the 10 to 110  $\mu\text{m}$  range.<sup>32,33</sup> Therefore, most particles incidentally inhaled from cosmetic sprays would be deposited in the nasopharyngeal region and would not be respirable to any appreciable level.<sup>34,35</sup> There is some evidence indicating that deodorant spray products can release substantially larger fractions of particulates having aerodynamic diameters in the range considered to be respirable.<sup>35</sup> However, the information is not sufficient to determine whether significantly greater lung exposures result from the use of deodorant sprays, compared to other cosmetic sprays.

All of the ingredients included in this review, with the exception of acrylates/C12-13 alkyl methacrylates methoxyethyl acrylate crosspolymer and methacrylic acid/PEG-6 methacrylate/PEG-6 dimethacrylate crosspolymer, are listed in the European Union inventory of cosmetic ingredients.<sup>36</sup> The two ingredients that are not included in the EU inventory are in the process of being named and will be added once that process is complete.<sup>37</sup>

### **Non-Cosmetic**

Acrylic ester polymers are used in coatings, textiles, adhesives, and paper manufacture.<sup>5</sup>

## TOXICOKINETICS

Published toxicokinetics, absorption, distribution, metabolism, and excretion data were not found for the crosspolymers. Large polymeric structures, however, such as cross-linked alkyl acrylates, generally are not absorbed through the skin. Toxicokinetics data on some of the monomers are provided in Table 5.

## Effect on Skin Permeation

### ***Acrylates/C10-30 Alkyl Acrylate Crosspolymer***

A topical formulation vehicle that included acrylates/C10-30 alkyl acrylate crosspolymer (Pemulen TR-2), in combination with PEG 400 and carbomer, reduced the permeation of *N,N*-diethyl-*m*-toluamide (DEET) through skin.<sup>38</sup> Evaluations were made *in vitro* using excised rat skin and *in vivo* using Beagle dogs.

## TOXICOLOGICAL STUDIES

To aid in the evaluation of the safety of these crosspolymers, Table 5 provides a brief summary of relevant data on a number of monomer components. (This summary is not intended to be an all-encompassing review of these monomers.)

## Single Dose (Acute) Toxicity

### Dermal

#### ***Acrylates/C10-30 Alkyl Acrylate Crosspolymer***

According to an industry MSDS, the dermal LD<sub>50</sub> of acrylates/C10-30 alkyl acrylate crosspolymer (as Pemulen TR1) in rabbits is >2.0 g/kg.<sup>39</sup>

#### ***Acrylates/Vinyl Neodecanoate Crosspolymer***

The dermal LD<sub>50</sub> of acrylates/vinyl neodecanoate crosspolymer (as Aculyn 38 polymer) in rabbits is >5.0 g/kg.<sup>12</sup>

### Oral

#### ***Acrylates/C10-30 Alkyl Acrylate Crosspolymer***

According to an industry MSDS, the oral LD<sub>50</sub> of acrylates/C10-30 alkyl acrylate crosspolymer (as Pemulen TR1) in rats is >10 g/kg.<sup>39</sup> Another source provided information from an MSDS, stating that the oral LD<sub>50</sub> in rats is >2 g/kg.<sup>23</sup>

#### ***Acrylates/Vinyl Isodecanoate Crosspolymer***

The oral LD<sub>50</sub> acrylates/vinyl isodecanoate crosspolymer (as Stabylen 30) in rats is >2 g/kg body wt.<sup>40</sup>

#### ***Acrylates/Vinyl Neodecanoate Crosspolymer***

The oral LD<sub>50</sub> of acrylates/vinyl neodecanoate crosspolymer (as Aculyn 38 polymer) in rats is >5.0 g/kg.<sup>12</sup>



### ***Sodium Acrylates Crosspolymer-2***

According to an industry MSDS, the oral LD<sub>50</sub> of sodium acrylates crosspolymer-2 (as Aqua Keep 10SH-NFC) in rats is >2 g/kg.<sup>41</sup>

#### **Inhalation**

##### ***Acrylates/Vinyl Neodecanoate Crosspolymers***

The inhalation LC<sub>50</sub> of acrylates/vinyl neodecanoate crosspolymer (as Aculyn 38 polymer) in rats is >16.34 mg/l air (1 h).<sup>12</sup>

#### **Repeated Dose Toxicity**

#### **Inhalation**

##### ***Acrylates/C10-30 Alkyl Acrylate Crosspolymer***

In an industry MSDS for acrylates/C10-30 alkyl acrylate crosspolymers (as Pemulen TR-1), a 2-yr inhalation study in which rats were exposed to a respirable, water-absorbent sodium polyacrylate dust is described under toxicological information. Lung effects such as inflammation, hyperplasia, and tumors, were observed.<sup>39</sup> There were no observed adverse effects at exposures of 0.05 mg/m<sup>3</sup>.

#### **REPRODUCTIVE AND DEVELOPMENTAL TOXICITY**

Published reproductive and developmental toxicity data were not found. Reproductive and developmental toxicity data on some of the monomers are provided in Table 5.

#### **GENOTOXICITY**

Genotoxicity data on some of the monomers are provided in Table 5.

##### ***Acrylates/C10-30 Alkyl Acrylate Crosspolymer***

Acrylates/C10-30 alkyl acrylate crosspolymer, tested at 156-500 µg/plate in dimethyl sulfoxide, was not mutagenic in an Ames assay with *Salmonella typhimurium* TA98 and TA100.<sup>23</sup> It is not stated directly, but it appears that the studies were performed with and without metabolic activation.

### ***Acrylates/Stearth-20 Methacrylate Crosspolymer***

The acrylic copolymer of acrylates/stearth-20 methacrylate crosspolymer (as Aculyn 88 polymer) was not mutagenic in an Ames test, with or without metabolic activation.<sup>10</sup> (Study performed using good laboratory practices (GLP); details not provided.)

### ***Acrylates/Vinyl Neodecanoate Crosspolymer***

The acrylic copolymer of acrylates/vinyl neodecanoate crosspolymer (as Aculyn 38 polymer) was not mutagenic in an Ames test, with or without metabolic activation.<sup>12</sup> (GLP study; details not provided.)

### ***Sodium Acrylates Crosspolymer-2***

According to an industry MSDS, sodium acrylates crosspolymer-2 (as Aqua Keep 10SH-NFC) was negative in an Ames test using *S. typhimurium* TA98, TA100, TA1535, and TA1537 and *Escherichia coli* WP2uvrA.<sup>41</sup>

## **CARCINOGENICITY**

Published carcinogenicity studies were not found. Carcinogenicity data on some of the monomers are provided in Table 5.

## **IRRITATION AND SENSITIZATION**

Irritation and sensitization data on some of the monomers are provided in Table 5.

### **Skin Irritation and Sensitization**

Dermal irritation and sensitization studies, using alternative methods and non-human and human test populations, are presented in Table .

In an alternative method study, acrylates/vinyl neodecanoate crosspolymer was predicted to be a non-irritant. The non-human studies reported no to slight irritation with undiluted and weak sensitization with 2% aq., acrylates/C10-30 alkyl acrylate crosspolymer, no irritation with acrylates crosspolymer at 30% in olive oil, and no irritation or sensitization with sodium acrylates crosspolymer-2 (concentration not specified). Mostly, human testing with undiluted acrylates/C10-30 alkyl acrylate crosspolymer, acrylates crosspolymer, and acrylates/ethylhexyl acrylate crosspolymer, up to 2.5% aq. acrylates/vinyl isodecanoate crosspolymer, 1% aq. dilutions of formulations containing 2% acrylates/vinyl neodecanoate crosspolymer, and formulations containing up to 2.6% lauryl methacrylate/glycol dimethacrylate crosspolymers do not indicate any dermal irritation or sensitization. The only exception was a weak irritant response noted during an intensified Shelanski human repeated insult patch test (HRIPT) with undiluted acrylates/C10-30 alkyl acrylate crosspolymer.

## Ocular Irritation

### Alternative Studies

#### ***Acrylates/Vinyl Isodecanoate Crosspolymer***

The EYE-TEX alternative method was used to predict the *in vivo* ocular irritation classification of acrylates/vinyl isodecanoate crosspolymer (as Stabylen 30).<sup>40</sup> The results obtained in a standard volume-response study using samples of  $\leq 100$   $\mu$ l test material corresponded to a Draize ocular irritation classification of non-irritant.

#### ***Lauryl Methacrylate/Glycol Dimethacrylate Crosspolymer***

The EpiOcular Human Cell Construct (MTT assay), was used to assess the potential ocular irritation of a face powder containing 1% lauryl methacrylate/glycol dimethacrylate crosspolymer.<sup>42</sup> The ET<sub>50</sub> (duration of exposure resulting in a 50% decrease in MTT conversion) of the test material was >1440 min, which was the maximum exposure time. (As a reference point, the ET<sub>50</sub> of the positive control, 0.3% Triton X-100, was 16.3 min.)

### Non-Human

#### ***Acrylates/C10-30 Alkyl Acrylate Crosspolymer***

The ocular irritation potential of acrylates/C10-30 alkyl acrylate crosspolymer (as Carbopol ETD) was evaluated using groups of 3 albino rabbits.<sup>43</sup> The test material, undiluted and as a 1% neutralized solution (pH 6.9-7.0), was instilled into the conjunctival sac of one eye of each rabbit per group; the contralateral eyes served as a control. The eyes were not rinsed. The undiluted test material produced slight to moderate corneal and conjunctival irritation which cleared by day 7. Slight iridal and conjunctival irritation was observed with the 1% solution. All signs of irritation cleared with 72 h.

In other studies using the same procedure, the ocular irritation potential of acrylates/C10-30 alkyl acrylate crosspolymer (as Carbopol Ultrez 20 and as Carbopol Ultrez 21) was evaluated using groups of 3 rabbits.<sup>44,45</sup> The test material was evaluated undiluted and as a 5% dilution in distilled water. The undiluted test material produced moderate corneal irritation and conjunctival irritation which cleared by day 21. (The maximum mean score (MMS) was 37.7/110.) Moderate conjunctival irritation (MMS 9.3/110) was observed with the 5% solution, which was classified as a minimal irritant.

The ocular irritation potential of acrylates/C10-30 alkyl acrylate crosspolymer (as Pemulen) was evaluated by instilling 0.021 g of the test article into the conjunctival sac of one eye of 9 New Zealand White (NZW) rabbits.<sup>46</sup> The contralateral eyes were untreated and served as the control. At 30 sec post-instillation, both eyes of 3 rabbits were rinsed; the eyes of the other 6 rabbits were not rinsed. The eyes were examined for irritation for up to 72 h following dosing. "Significant" ocular irritation was observed in 3 of the 6 unrinsed eyes. At 24 h after instillation, corneal opacity was observed in 3 and iritis in one unrinsed eye; minimal conjunctivitis was seen in all 6 unrinsed eyes. These observations were resolved by 72 h. "Less severe responses" were observed in the rinsed eyes. Iritis was observed in one and conjunctivitis in 3 of the rinsed eyes at 24 h after dosing. At 48 h after dosing, conjunctivitis was observed in one rinsed eye. Based on the observations made for the unrinsed eyes, the authors stated that this product was considered a borderline irritant.

## ***Acrylates Crosspolymer***

The ocular irritation potential of acrylates crosspolymer was evaluated by instilling 0.1 ml of the test material, at a concentration of 50% in olive oil, into the conjunctival sac of one eye of 3 Japanese white rabbits.<sup>24</sup> The Draize score was 1.3. (Additional details were not provided.)

## ***Sodium Acrylates Crosspolymer-2***

According to an industry MSDS, sodium acrylates crosspolymer-2 (as Aqua Keep 10SH-NFC) is not an ocular irritant in rabbits.<sup>41</sup>

### **CLINICAL ASSESSMENT OF SAFETY**

#### **Risk Assessment**

Conservative risk assessments were submitted by the Personal Care Products Council's CIR Science and Support Committee (SSC) and by the CIR to address the carcinogenic endpoint for benzene, because it may be used as a solvent in the manufacture of acrylates/C10-30 alkyl acrylates crosspolymer. Both assessments assumed the highest reported concentration of residual benzene in acrylates/ C10-30 alkyl acrylates crosspolymer used as a raw ingredient, the highest reported use concentration in a leave-on product of the raw ingredient polymerized in benzene, 10% evaporation of the residual benzene during manufacturing of the product, 10% benzene absorbed from the product through the skin, and the reported 50<sup>th</sup> and 95<sup>th</sup> percentile of the amount of product used daily.

#### **CIR SSC Risk Assessment**<sup>31</sup>

The assumptions used to calculate CIR SSC's example exposure assessment were:

- 50th percentile use = 7.63 g body lotion used/use day
- 95th percentile use = 16.83 g body lotion used/use day
- 0.4% acrylates/C10-30 alkyl acrylate crosspolymer in body lotion
- 0.41% benzene in acrylates/C10-30 alkyl acrylate crosspolymer
- 10% benzene absorbed percutaneously

#### Estimated Exposure

0.41% benzene in raw material x 0.4% acrylates/C10-30 alkyl acrylates crosspolymer in a body product  
=0.00164% benzene in the product

50th	7.63 g body product used/day x	= 12.5 µg/day
0.00164%	= 0.000125 g/day	
	= 125 µg/day	
	absorb 10% x 125 µg/day	
		95th 16.83 g body product used/day
		0.00164%
		= 0.000276 g/day
		= 276 µg/day

$$= 27.6 \mu\text{g/day}$$

absorb 10% x 276  $\mu\text{g/day}$

### The SSC Comparison to Risk Level

The Environmental Protection Agency (EPA) drinking water concentration associated with  $10^6$  cancer risk is 1 and 10  $\mu\text{g/L}$ .<sup>47</sup> Assuming consumption of 2 L of water each day, this results in a value of 2 to 20  $\mu\text{g/day}$ . The estimated exposure from the use of a leave-on body product at the 50<sup>th</sup> percentile, assuming the greatest concentration of acrylates/C10-30 alkyl acrylates crosspolymer polymerized in benzene, is in within the range associated with a  $10^6$  cancer risk, while use at the 95<sup>th</sup> percentile is just above the range associated with a  $10^6$  risk. The SSC noted that significant volatilization of benzene would occur during the manufacture of the finished product because the temperatures reached during processing are at or near the boiling point of benzene (80.1°C). They indicated that assuming that only 10% of the residual benzene is volatilized during product manufacture, would yield an exposure within the range associated with a  $10^6$  risk for use of a body lotion at the 95<sup>th</sup> percentile.

### CIR's Risk Assessment

The EPA presents the oral slope factor for benzene as a range, based on the assumption that benzene is 100% absorbed after oral exposure. Specifically, the slope factor ranges from  $1.5 \times 10^{-5}$  to  $5.5 \times 10^{-5}$  [ $\mu\text{g/kg/day}$ ]<sup>-1</sup>. The EPA drinking water concentration range (1 to 10  $\mu\text{g/liter}$ ) representing a  $10^{-6}$  lifetime cancer risk was calculated from the slope factor range, rounding down the lowest concentration of the range to 1  $\mu\text{g/liter}$  and rounding up the highest concentration to 10  $\mu\text{g/liter}$ .

#### General Equation:

- [%] benzene in acrylates/C10-30 alkyl acrylates crosspolymer x [%] acrylates/C10-30 alkyl acrylates crosspolymer in body lotion x [g/day] body lotion x [%] benzene absorbed percutaneously x [ $\text{kg}$ ]<sup>-1</sup> body weight x  $10^6$  [ $\mu\text{g/g}$ ] conversion factor x slope factor [ $\mu\text{g/kg/day}$ ]<sup>-1</sup> = Cancer Risk Estimate [unitless]

Using the EPA's highest cancer slope factor in the range ( $5.5 \times 10^{-5}$  [ $\mu\text{g/kg/day}$ ]<sup>-1</sup>) in accordance with the EPA risk assessment guidelines yields an upper bound lifetime cancer risk estimate of  $2.2 \times 10^{-5}$ , assuming the 95<sup>th</sup> percentile product use and 70 kg body weight:

#### Upper Bound Risk for 95<sup>th</sup> percentile exposure:

- $0.41\% \times 0.4\% \times 16.83 \text{ g/day} \times 10\% \times 1/70 [\text{kg}]^{-1} \times 10^6 \mu\text{g/g} \times 5.5 \times 10^{-5} [\mu\text{g/kg/day}]^{-1} = 2.17 \times 10^{-5}$

This estimate ( $2.2 \times 10^{-5}$ ) is 22 times higher than the upper bound risk estimate considered to be de minimis ( $10^{-6}$ ).

Assuming that 10% of the benzene evaporates during the product manufacturing process reduces the upper bound estimate to  $2 \times 10^{-5}$  ( $2.17 \times 10^{-5} \times 90\% = 1.95 \times 10^{-5}$ ), which is still about 20 times higher than  $10^{-6}$ .

Using the EPA's lowest cancer slope factor in their range ( $1.5 \times 10^{-5} [\mu\text{g}/\text{kg}/\text{day}]^{-1}$ ), assuming 50<sup>th</sup> percentile product use, 10% percutaneous absorption, and 10% evaporation during the manufacturing process yields upper bound cancer risk estimates that still exceed  $10^{-6}$  by 2 to 3 fold:

Upper Bound Risk for 50<sup>th</sup> percentile exposure:

- $0.41\% \times 0.4\% \times 7.63 \text{ g/day} \times 10\% \times 1/70 [\text{kg}]^{-1} \times 10^6 \mu\text{g/g} \times 1.5 \times 10^{-5} [\mu\text{g}/\text{kg}/\text{day}]^{-1} \times 90\% = 2.41 \times 10^{-6}$

The SSC reported that the cancer risk would  $<10^{-6}$ , by comparing the estimated daily absorbed dose of benzene from the product to drinking water concentrations that EPA suggests represents a  $10^{-6}$  lifetime risk. However, CIR calculated upper-bound lifetime cancer risk estimates up to 20-fold greater than  $10^{-6}$ , based on EPA's cancer slope factors for benzene.

### **INDUSTRIAL EXPOSURE LIMITS**

According to an industry MSDS, no exposure limits have been established for acrylates/C10-30 alkyl acrylate crosspolymer.<sup>39</sup> The industry-recommended permissible exposure limits for respirable polyacrylate dusts is  $0.05 \text{ mg}/\text{m}^3$ . Breathing of dust may cause coughing, mucous production, and shortness of breath. According to an industry MSDS, the exposure limit for respirable sodium acrylates crosspolymer-2 dust (particle size  $<10 \mu\text{m}$ ) is  $0.05 \text{ mg}/\text{m}^3$ .<sup>41</sup>

### **SUMMARY**

The crosslinked alkyl acrylates are crosslinked polymers and are very large molecules that consist of co-monomers of acrylic acid, sodium acrylate, methacrylic acid, and/or alkyl acrylate, and they share chemical properties, including a general lack of chemical reactivity. Crosslinked alkyl acrylates are typically produced via free-radical, head-to tail chain-propagation polymerization. Ethyl acetate + cyclohexane, water, n-hexane, and benzene are all named as solvents. Because of the manner in which these polymers are created and the mixture of monomers and cross-linking agents that can be used, two polymers that have the same INCI name can have very different physical consistencies. Small amounts of residual monomer and/or solvent may be present in the raw ingredients.

Crosslinked alkyl acrylates are reported to function in cosmetic formulations as absorbents, film formers, emulsion stabilizers, viscosity increasing agents, suspending agents, binders, and/or skin conditioning agents. In 2011, it was reported that acrylates/C10-30 alkyl acrylate crosspolymer was used in 1696 cosmetic formulations; 1365 of those uses are in leave-on products, and the reported concentration of use in these leave-on products is up to 5%. According to industry data, acrylates/ethylhexyl acrylate crosspolymer had the highest concentration of use in a leave-on product at 6%; the highest concentration of use reported in rinse-off products was 5% acrylates/C10-30 alkyl acrylate crosspolymer.

Toxicokinetic data were not found in the published literature. Little toxicity data were available; the acute dermal and oral toxicity data that were found indicated that these ingredients are not very toxic. The little genotoxicity data that were available reported negative results in Ames tests. Carcinogenicity data were not found in the published literature for the polymers, but data were available for the monomers.

In an alternative method study, acrylates/vinyl neodecanoate crosspolymer was predicted to be a non-irritant. The non-human studies reported no to slight irritation with undiluted and weak sensitization with 2% aq., acrylates/C10-30 alkyl acrylate crosspolymer, no irritation with acrylates crosspolymer at 30% in olive oil, and no irritation or sensitization with sodium acrylates crosspolymer-2 (concentration not specified). Mostly, human testing with undiluted acrylates/C10-30 alkyl acrylate crosspolymer, acrylates crosspolymer, and acrylates/ethylhexyl acrylate crosspolymer, up to 2.5% aq. acrylates/vinyl isodecanoate crosspolymer, 1% aq. dilutions of formulations containing 2% acrylates/vinyl neodecanoate crosspolymer, and formulations containing up to 2.6% lauryl methacrylate/glycol dimethacrylate crosspolymers do not indicate any dermal irritation or sensitization. The only exception was a weak irritant response noted during an intensified Shelanski human repeated insult patch test (HRIPT) with undiluted acrylates/C10-30 alkyl acrylate crosspolymer.

Alternative test methods for ocular irritation indicated that acrylates/vinyl isodecanoate crosspolymer and a formulation containing 1% lauryl methacrylate/glycol dimethacrylate crosspolymer are not likely ocular irritants. In studies using rabbits, undiluted acrylates/C10-30 alkyl acrylate crosspolymer produced minimal to moderate irritation, and it was considered a borderline irritant in unrinsed rabbit eyes. Acrylates crosspolymer, at 50% in olive oil, and sodium acrylates crosspolymer-2 did not appear to be ocular irritants in rabbit eyes.

Two different risk assessments evaluating the carcinogenic endpoint for benzene that may be present in acrylates/ C10-30 alkyl acrylates crosspolymer resulted in different lifetime risk. One found that the risk was within the range associated with a  $10^6$  cancer risk, while the other reported a 20-fold greater risk.

## **DISCUSSION**

Few published data were available on the crosslinked alkyl acrylates. The CIR Expert Panel was provided with some summary information on the monomers for their use in evaluating these crosspolymers.

The Panel noted that these crosslinked alkyl acrylates are macromolecules that are not expected to pass through the stratum corneum of the skin, so significant dermal absorption is not expected. Therefore, topically applied cosmetics are not expected to result in systemic or reproductive and developmental toxicity or to have genotoxic or carcinogenic effects upon use.

The Panel noted that cosmetic products containing these ingredients are reportedly used around the eyes, on the lips, and on other mucous membranes. Thus, crosslinked alkyl acrylates could be absorbed systemically through the relatively moist, thin stratum cornea of the conjunctiva, lips, and other mucous membranes, and through ingestion when applied to the lips. However, the Panel noted that any absorption through healthy intact mucous membranes is likely to be not significant, primarily because of the relatively large molecular sizes. Furthermore, the chemically inert nature of the polymers precludes degradation to smaller absorbable species. Absorption of the polymers and their residual monomers in cosmetic products also would be limited after application to the lips or eye area based on the relatively small fractions of the applied products that might be inadvertently ingested or make direct contact with the conjunctiva.

The Panel addressed the concern of residual monomer or solvent that might be present in the cross-polymers. In most cases, taking into consideration the low amount of residual monomer in the crosspolymers and the low use concentration of the polymers themselves, the Panel was not concerned that the presence of

residual monomer would result in adverse effects. However, the use of benzene as a solvent is an exception and did cause concern. It cannot be predicted with certainty what quantity of benzene would be volatilized/leached from acrylates/C10-30 alkyl acrylates crosspolymer during manufacture, formulation, or use. While some benzene is inevitably volatilized during manufacture, some benzene may be trapped in the polymer matrix and may leach out during formulation and use, but there is no way of knowing how much (or if *any*) benzene would leach out without appropriate data from a representative product formulation.

Conservative risk assessments were submitted by industry and by the CIR to address the carcinogenic endpoint for benzene, because it may be used as a solvent in the manufacture of acrylates/C10-30 alkyl acrylates crosspolymer. Both assessments assumed the highest reported concentration of residual benzene in acrylates/C10-30 alkyl acrylates crosspolymer used as a raw ingredient, the highest reported use concentration in a leave-on product of the raw ingredient polymerized in benzene, 10% evaporation of the residual benzene during manufacturing of the product, 10% benzene absorbed from the product through the skin, and the reported 95<sup>th</sup> percentile of the amount of product used daily. Industry reported that the cancer risk would  $<10^{-6}$ , by comparing the estimated daily absorbed dose of benzene from the product to drinking water concentrations that EPA suggests represents a  $10^{-6}$  lifetime risk. However, CIR calculated upper-bound lifetime cancer risk estimates up to 20-fold greater than  $10^{-6}$ , based on EPA's cancer slope factors for benzene. Given the uncertainty of the assumptions used in the risk assessment, the Panel was not comfortable with using a risk assessment in evaluating the carcinogenic endpoint. Therefore, the Panel found the data insufficient to conclude that the residual benzene levels are safe.

Because these ingredients can be used in products that may be aerosolized, including sprays and powders, the Panel discussed the issue of potential inhalation toxicity. The limited data available from an acute exposure study suggested little potential for pulmonary overload or other respiratory effects at relevant doses. The Panel considered other data available to characterize the potential for crosslinked alkyl acrylates to cause systemic toxicity, irritation, sensitization, or other effects. They noted the lack of systemic toxicity at high doses in several acute oral exposure studies, little or no irritation or sensitization in multiple tests of dermal and ocular exposure, and the absence of genotoxicity in Ames tests. In addition, these ingredients are macromolecules, insoluble in water, and chemically inert under physiological conditions or conditions of use, which supports the view that they are unlikely to be absorbed or cause local effects in the respiratory tract. Further, these ingredients are reportedly used at concentrations  $\leq 4\%$  in cosmetic products that may be aerosolized. The Panel noted that 95 – 99% of particles produced in cosmetic aerosols would not be respirable to any appreciable extent. Coupled with the small actual exposure in the breathing zone and the concentrations at which the ingredients are used, this information indicates that inhalation would not be a significant route of exposure that might lead to local respiratory or systemic toxic effects.

## **CONCLUSION**

The CIR Expert Panel concluded that the crosslinked alkyl acrylates listed below are safe in the present practices of use and concentration described in this safety assessment, except when they are polymerized in benzene. Acrylates/C10-30 Alkyl Acrylate Crosspolymer may be polymerized in benzene, and the available data are insufficient to make a determination of safety for this crosslinked alkyl acrylate when it is polymerized in benzene.



Acrylates/C10-30Alkyl Acrylate Crosspolymer

Acrylates/C12-13 Alkyl Methacrylates/Methoxyethyl Acrylate Crosspolymer\*

Acrylates Crosspolymer

Acrylates/Ethylhexyl Acrylate Crosspolymer

Acrylates/Ethylhexyl Acrylate/Glycidyl Methacrylate Crosspolymer\*

Acrylates/PEG-4 Dimethacrylate Crosspolymer\*

Acrylates/Steareth-20 Methacrylate Crosspolymer

Acrylates/Vinyl Isodecanoate Crosspolymer

Acrylates/Vinyl Neodecanoate Crosspolymer

Allyl Methacrylate/Glycol Dimethacrylate Crosspolymer\*

Allyl Methacrylates Crosspolymer

Butyl Acrylate/Glycol Dimethacrylate Crosspolymer\*

C8-22 Alkyl Acrylates/Methacrylic Acid Crosspolymer\*

Glycol Dimethacrylate/Vinyl Alcohol Crosspolymer\*

Lauryl Methacrylate/Glycol Dimethacrylate Crosspolymer

Lauryl Methacrylate/Sodium Methacrylate Crosspolymer

Methacrylic Acid/PEG-6 Methacrylate/PEG-6 Dimethacrylate Crosspolymer\*

PEG/PPG-5/2 Methacrylate/Methacrylic Acid Crosspolymer\*

Potassium Acrylates/C10-30 Alkyl Acrylate Crosspolymer\*

Sodium Acrylates Crosspolymer-2

Sodium Acrylates/C10-30 Alkyl Acrylate Crosspolymer

Sodium Acrylates/Vinyl Isodecanoate Crosspolymer\*

Stearyl/Lauryl Methacrylate Crosspolymer\*

\*Were the ingredients not in current use (as indicated by \*) to be used in the future, the expectation is that they would be used in product categories and at concentrations comparable to others in this group.




## TABLES

**Table 1. Definitions, functions, and structures**


Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Acrylates/ C10-30 Alkyl Acrylate Crosspolymer	a copolymer of C10-30 alkyl acrylate and one or more monomers of acrylic acid, methacrylic acid or one of their simple* esters crosslinked with an allyl (2-propenyl) ether of sucrose or an allyl ether of pentaerythritol	Emulsion Stabilizer; Viscosity Increasing Agent – Aq.; Viscosity Increasing Agent - NonAq.	

**Copolymer of:**



**R = 10 to 30 carbon alkyl chain**  
**R' = hydrogen or a "simple" alkyl chain**

**Crosslinked with:**



**R'' = hydrogen or 2-propenyl, wherein at least two R'' groups are 2-propenyl**

\* According to the International Cosmetic Ingredient Dictionary and Handbook nomenclature conventions, "simple," as used herein, is "described as simple alkyls ranging from C1 to C4 (linear or branched)."

Table 1. **Definitions, functions, and structures**






Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Acrylates/ C12-13 Alkyl Methacrylates/ Methoxyethyl Acrylate Crosspolymer	a copolymer of C12-13 alkyl methacrylates, methoxyethyl acrylate, and one or more monomers of acrylic acid, methacrylic acid or one of their simple esters, crosslinked with vinyloxazoline	hair fixative	<p><b>Copolymer of:</b></p>  <p><b>R = hydrogen or a "simple" alkyl chain</b>  <b>R' = a 12 or 13 carbon alkyl chain</b></p>  <p><b>Crosslinked with:</b></p>  <p><b>vinyloxazoline</b></p>
Acrylates Crosspolymer 26794-61-6 (when R is butyl) 74464-10-1 (when R is isobutyl)	a copolymer of acrylic acid, methacrylic acid or one of its simple esters, cross-linked with glycol dimethacrylate	Absorbent	<p><b>Copolymer of:</b></p>  <p><b>R = hydrogen or a "simple" alkyl chain</b></p> <p><b>Crosslinked with:</b></p> 

Table 1. Definitions, functions, and structures



Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Acrylates/ Ethylhexyl Acrylate Crosspolymer	a copolymer of 2-ethylhexylacrylate and one or more monomers of acrylic acid, methacrylic acid or one of their simple esters, crosslinked with ethylene glycol dimethacrylate	Binder	<p>Copolymer of:</p>  <p>R = hydrogen or a "simple" alkyl chain</p> <p>Crosslinked with:</p> 

Table 1. **Definitions, functions, and structures**






Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Acrylates/ Ethylhexyl Acrylate/ Glycidyl Methacrylate Cross- polymer	a copolymer of 2-ethylhexyl acrylate, glycidyl methacrylate and one or more monomers consisting of acrylic acid, methacrylic acid or one of their simple esters, crosslinked with triethylene glycol dimethacrylate	Film Former	<p><b>Copolymer of:</b></p>  <p><b>R = hydrogen or a "simple" alkyl chain</b></p> <p><b>Crosslinked with:</b></p> 
Acrylates/ PEG-4 Dimethacrylate Crosspolymer  50657-38-0	a copolymer of one or more monomers of acrylic acid, methacrylic acid or one of their simple esters crosslinked by PEG-4 dimethacrylate	Film Former	<p><b>Copolymer of:</b></p>  <p><b>R = hydrogen or a "simple" alkyl chain</b></p> <p><b>Crosslinked with:</b></p> 

Table 1. **Definitions, functions, and structures**


Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Acrylates/ Steareth-20 Methacrylate Crosspolymer	a copolymer of steareth-20 methacrylate and one or more monomers consisting of acrylic acid, methacrylic acid or one of their simple esters, crosslinked with an allyl ether of pentaerythritol or an allyl ether of trimethylolpropane	Film Former; Suspending Agent – Non-Surfactant	

Copolymer of:



R = hydrogen or a "simple" alkyl chain

Crosslinked with:



R' = hydrogen or 2-propenyl, wherein at least two R' groups are 2-propenyl

**Table 1. Definitions, functions, and structures**






Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Acrylates/ Vinyl Isodecanoate Crosspolymer	a copolymer of the ester of vinyl isodecanoate and one or more monomers of acrylic acid, methacrylic acid or one of their simple esters crosslinked with polyalkenyl polyether	Emulsion Stabilizer; Suspending Agent – Non-Surfactant; Viscosity Increasing Agent - Aq.	<p><b>Copolymer of:</b></p>  <p style="text-align: center;">one example of an "iso"</p>  <p><b>R = isododecyl (branched, 12 carbon chain)</b>  <b>R' = hydrogen or a "simple" alkyl chain</b></p> <p><b>Crosslinked with a "polyalkenyl polyether." One example of such could be:</b></p>  <p><b>R'' = hydrogen or 2-propenyl, wherein at least two R'' groups are 2-propenyl</b></p>



Table 1. **Definitions, functions, and structures**


Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Acrylates/ Vinyl Neodecanoate Crosspolymer	a copolymer of vinyl neodecanoate and one or more monomers of acrylic acid, methacrylic acid or one of their simple esters crosslinked with an allyl ether of trimethylolpropane or pentaerythritol	Emulsion Stabilizer; Film Former; Viscosity Increasing Agent - Aq.	

Copolymer of:



R = hydrogen or a "simple" alkyl chain

Crosslinked with:



R' = hydrogen or 2-propenyl, wherein at least two R' groups are 2-propenyl

Table 1. **Definitions, functions, and structures**



Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Allyl Methacrylate/Glycol Dimethacrylate Crosspolymer 779327-42-3	a <b>highly crosslinked</b> polymer of allyl methacrylate and ethylene glycol dimethacrylate (diisopropyl peroxydicarbonate initiated)	Oral Care Agent; Skin Protectant; Skin-Conditioning Agent - Emollient; Skin-Conditioning Agent – Misc.	<p><b>Copolymer of:</b></p>  <p>The image shows two chemical structures enclosed in large square brackets. The top structure represents allyl methacrylate, consisting of a methacrylate backbone (a central carbon double-bonded to a methyl group and a hydrogen atom, and single-bonded to a carbonyl group) connected via an ester linkage to an allyl group (a three-carbon chain with a terminal double bond). The bottom structure represents ethylene glycol dimethacrylate, consisting of two methacrylate units connected by an ethylene glycol bridge (-O-CH2-CH2-O-). Each methacrylate unit has a methyl group and a hydrogen atom on the double bond, and a carbonyl group connected to the oxygen of the ethylene glycol bridge.</p>
Allyl Methacrylates Crosspolymer 182212-41-5	a copolymer of allyl methacrylate crosslinked with ethylene glycol dimethacrylate	Emulsion Stabilizer; Opacifying Agents; Viscosity Increasing Agent – NonAq.	<p><b>Copolymer of:</b></p>  <p>The image shows two chemical structures enclosed in large square brackets, identical to those in the first row. The top structure is allyl methacrylate, and the bottom structure is ethylene glycol dimethacrylate.</p>

Table 1. Definitions, functions, and structures





Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Butyl Acrylate/ Glycol Dimethacrylate Crosspolymer	a homopolymer of butyl acrylate cross-linked with ethylene glycol dimethacrylate	Absorbent; Film Former	<p><b>Homopolymer of:</b></p>  <p><b>Crosslinked with:</b></p> 
C8-22 Alkyl Acrylates/ Methacrylic Acid Crosspolymer	a copolymer of C8-22 alkyl acrylate and methacrylic acid crosslinked with hexanediol diacrylate	Film Former; Hair Fixative; Hair-Waving/ Straightening Agent	<p><b>Copolymer of:</b></p>  <p><b>R = C8-22 alkyl chain</b></p> <p><b>Crosslinked with:</b></p> 

Table 1. **Definitions, functions, and structures**








Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Glycol Dimethacrylate/ Vinyl Alcohol Crosspolymer	vinyl alcohol and ethylene glycol dimethacrylate	Film Former	<p><b>Copolymer of:</b></p>  <p>The first structure is vinyl alcohol, shown as a repeating unit in brackets: <math>\left[ \text{H}_2\text{C}=\text{CH}-\text{CH}_2-\text{OH} \right]</math>. The second structure is ethylene glycol dimethacrylate, also shown as a repeating unit in brackets: <math>\left[ \text{H}_2\text{C}(\text{CH}_3)=\text{C}(\text{O})-\text{O}-\text{CH}_2-\text{CH}_2-\text{O}-\text{C}(\text{O})-\text{CH}(\text{CH}_3)=\text{CH}_2 \right]</math>. The label "(Crosslinker)" is placed below the second structure.</p>
Lauryl Methacrylate/Glycol Dimethacrylate Crosspolymer	a crosslinked copolymer of lauryl methacrylate and ethylene glycol dimethacrylate monomers	Film Former; Hair Fixative	<p><b>Copolymer of:</b></p>  <p>The first structure is lauryl methacrylate, shown as a repeating unit in brackets: <math>\left[ \text{H}_2\text{C}(\text{CH}_3)=\text{C}(\text{O})-\text{O}-\text{C}_{11}\text{H}_{23}-\text{CH}_3 \right]</math>. The second structure is ethylene glycol dimethacrylate, shown as a repeating unit in brackets: <math>\left[ \text{H}_2\text{C}(\text{CH}_3)=\text{C}(\text{O})-\text{O}-\text{CH}_2-\text{CH}_2-\text{O}-\text{C}(\text{O})-\text{CH}(\text{CH}_3)=\text{CH}_2 \right]</math>. The label "(Crosslinker)" is placed below the second structure.</p>


Table 1. Definitions, functions, and structures

Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Lauryl Methacrylate/Sodium Methacrylate Crosspolymer	a copolymer of lauryl methacrylate and sodium methacrylate crosslinked with ethylene glycol dimethacrylate.	Slip Modifier; Surface Modifier	<p>Copolymer of:</p>  <p>Crosslinked with:</p> 
Methacrylic Acid/PEG-6 Methacrylate/PEG-6 Dimethacrylate Crosspolymer	a copolymer of methacrylic acid and PEG-6 methacrylate crosslinked with polyethylene glycol dimethacrylate	film former.	<p>Copolymer of:</p>  <p>Crosslinked with:</p>  <p>wherein "n" is variable</p>

Copolymer of:




Crosslinked with:




Methacrylic Acid/PEG-6 Methacrylate/PEG-6 Dimethacrylate Crosspolymer a copolymer of methacrylic acid and PEG-6 methacrylate crosslinked with polyethylene glycol dimethacrylate film former.

Copolymer of:



Crosslinked with:



wherein "n" is variable

**Table 1. Definitions, functions, and structures**




Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
PEG/PPG-5/2 Methacrylate/Methacrylic Acid Crosspolymer	a copolymer of methacrylic acid and polyethylene glycol, polypropylene glycol methacrylate containing an average of 5 moles of ethylene oxide and 2 moles of propylene oxide, crosslinked with ethylene glycol dimethacrylate	Film Former	<p><b>Copolymer of:</b></p>  <p><b>Crosslinked with:</b></p> 

Table 1. **Definitions, functions, and structures**

Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Potassium Acrylates/ C10-30 Alkyl Acrylate Crosspolymer	the potassium salt of Acrylates/C10-30 Alkyl Acrylate Crosspolymer.	Film Former	


Copolymer of:



R = 10 to 30 carbon alkyl chain

R' = H or a "simple" alkyl group (the potassium salt is formed post-polymerization)

Crosslinked with:




R'' = hydrogen or 2-propenyl, wherein at least two R'' groups are 2-propenyl

**Table 1. Definitions, functions, and structures**

Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
--------------------	------------	----------------------	-------------------


Sodium Acrylates	the sodium salt of a copolymer of acrylic acid, methacrylic acid or one or more of its simple esters crosslinked with ethylene diglycidyl ether	Absorbent	
Crosspolymer-2			

Copolymer of:




R = H or a "simple" alkyl group (the sodium salt is formed post-polymerization)

Crosslinked with:



Sodium Acrylates/ C10-30 Alkyl Acrylate Crosspolymer	the sodium salt of Acrylates/C10-30 Alkyl Acrylate Crosspolymer	Film Former	
--	---	-------------	--


Copolymer of:



R = 10 to 30 carbon alkyl chain

R' = H or a "simple" alkyl group (the sodium salt is formed post-polymerization)

Crosslinked with:





R'' = hydrogen or 2-propenyl, wherein at least two R'' groups are 2-propenyl



Table 1. Definitions, functions, and structures

Ingredient/CAS No.	Definition	Reported Function(s)	Formula/Structure
Sodium Acrylates/ Vinyl Isodecanoate Crosspolymer	the sodium salt of Acrylates/Vinyl Iso-decanoate Crosspolymer.	Emulsion Stabilizer; Suspending Agent - Non-Surfactant; Viscosity Increasing Agent – Aq.	


Copolymer of:



R = isododecyl (branched, 12 carbon chain)

R' = H or a "simple" alkyl group (the sodium salt is formed post-polymerization)


Crosslinked with a "polyalkenyl polyether." One example of such could be:




R'' = hydrogen or 2-propenyl, wherein at least two R'' groups are 2-propenyl

Stearyl/ Lauryl Methacrylate Crosspolymer	a copolymer of lauryl methacrylate and stearyl methacrylate crosslinked with ethylene glycol dimethacrylate	Skin-Conditioning Agent - Misc.	
---	---	---------------------------------	--

Copolymer of:



Crosslinked with:



## References<sup>4,8,48</sup>

**Table 2. Chemical and physical properties**

<b>Property</b>	<b>Description</b>	<b>Reference</b>
<b>Acrylates/C10-30 Alkyl Acrylate Crosspolymer</b>		
appearance	white powder;	13-19
odor	slightly acetic	13-19
activity, as supplied	approximately 100% active	8
molecular weight	>500,000 Daltons	8
solubility	swells in water	39
pH	~2.5 – 3 at 1% in water <sup>39</sup>	
heavy metals content	10 ppm (max), under all trade names	13-19
specific gravity	1.4 (at 20°C)	39
particle size (as tested by one source)	2-7 µm	23
bulk density	<0.24 kg/l; <2 lb/gal	39
<b>Acrylates Crosspolymer</b>		
particle size (as tested by one source)	18-22 µm	24
heavy metal content	lead, 10 ppm (max) arsenic, 2 ppm (max)	25
<b>Acrylates/Steareth-20 Methacrylate Crosspolymer</b>		
appearance (Aculyn 88 polymer)	milk-white fluid	10
solids content (Aculyn 88 polymer)	28.0-30.0% by wt	10
heavy metal content (Aculyn 88 polymer)	iron, 1.028 ppm zinc, 0.082 ppm	
pH (Aculyn 88 polymer)	3.30-4.30	10
<b>Acrylates/Vinyl Isodecanoate Crosspolymer</b>		
molecular weight	24,400 Daltons (avg; <1% by weight is <1000 Daltons)	11
<b>Acrylates/Vinyl Neodecanoate Crosspolymer</b>		
appearance (Aculyn 38 polymer)	milk-white fluid	12
solids content (Aculyn 38 polymer)	28.0-30.0% by weight	12
activity, as supplied	29% solids in 71% water	26

Property	Description	Reference
heavy metal content (Aculyn 38 polymer)	copper, 0.2 ppm	12
	iron, 0.5 ppm	
	zinc, 1.2 ppm	
pH (as Aculyn 38 polymer)	2.10-3.20	12
<b>Allyl Methacrylates Crosspolymer</b>		
appearance	fine white powder	49,50
solubility	insoluble	49,50
refractive index	1.517-1.519	49
	1.511-1.513	50
particle size (by laser diffraction)	5-15 $\mu\text{m}$	49
	15-25 $\mu\text{m}$	50
bulk density	0.03 g/cc	49,50
water adsorption	oleophilic (hydrophobic)	50
	dual: hydrophilic and oleophilic	
<b>Sodium Acrylates Crosspolymer-2</b>		
appearance	white powder	28
odor	odorless	41
solubility	swells in water	41
pH	6-8	41
particle size	approx. 20 $\mu\text{m}$	28
bulk density	0.75-0.95 g/ml	41
stability	stable at room temperature	41

**Table 3a. Monomers used to create crosslinked alkyl acrylates**

acrylic acid

acrylic acid, simple esters (simple alkyls ranging from C1 to C4, linear or branched , i.e., methyl, ethyl, propyl, and butyl esters, including branched versions: isopropyl, isobutyl, sec-butyl, and tert-butyl esters)

butyl acrylate

C8-22 alkyl acrylate

2-ethylhexyl acrylate

glycidyl methacrylate

lauryl methacrylate

methacrylic acid

methacrylic acid, simple esters (simple alkyls ranging from C1 to C4, linear or branched , i.e., methyl, ethyl, propyl, and butyl esters, including branched versions: isopropyl, isobutyl, sec-butyl, and tert-butyl esters)

PEG-6 methacrylate

PEG/PPG-5/2

sodium methacrylate

steareth-20 methacrylate

stearyl methacrylate

vinyl alcohol

vinyl isodecanoate, ester of

vinyl neodecanoate

**Table 3b. Crosslinkers and initiators used in manufacture of acrylate crosspolymers**

allyl methacrylate

ethylene diglycidyl ether

glycol dimethacrylate

hexanediol diacrylate

PEG-4 dimethacrylate

pentaerythritol, allyl ether

polyalkenyl polyether

polyethylene glycol dimethacrylate

sucrose, allyl ether

triethylene glycol dimethacrylate

trimethylolpropane, allyl ether

diisopropyl peroxydicarbonate (initiator)




Table 4a. Frequency and concentration of use according to duration and type of exposure

	<i># of Uses</i> <sup>29</sup>	<i>Conc of Use (%) -not polymerized in benzene</i>	<i>Conc of Use (%) - polymerized in benzene</i> <sup>31</sup>	<i># of Uses</i> <sup>29</sup>	<i>Conc of Use (%)</i> <sup>30</sup>
	<b>Acrylates/C10-30 Alkyl Acrylate Crosspolymer</b>			<b>Acrylates Crosspolymer</b>	
<b>Totals*</b>	<b>1696</b>	<b>0.0002-5</b>	<b>0.05-1.1</b>	<b>2</b>	<b>0.1-4</b>
<b>Duration of Use</b>				2	0.1-4
<i>Leave-On</i>	1365	0.0002-5	0.05-0.4	NR	0.3-0.8
<i>Rinse Off</i>	313	0.002-5	0.2-1.1	NR	NR
<i>Diluted for (Bath) Use</i>	18	1	NR		
<b>Exposure Type</b>				NR	0.8
Eye Area	132	0.003-2	NR	NR	4
Incidental Ingestion	3	0.5	NR	NR	NR
Incidental Inhalation-Sprays	70 <sup>a,b</sup>	0.03-2	NR	NR	2
Incidental Inhalation-Powders	6	0.0002-0.1	NR	2	0.1-4
Dermal Contact	1591	0.0002-5	0.05-1.1	NR	NR
Deodorant (underarm)	1	0.001	NR	NR	NR
Hair - Non-Coloring	77	0.1-2	0.2	NR	NR
Hair-Coloring	11	0.4-5	NR	NR	NR
Nail	9	0.1-1	NR	NR	4
Mucous Membrane	111	0.002-3	NR	NR	NR
Baby Products	10	0.2	NR		
	<b>Acrylates/Ethylhexyl Acrylate Crosspolymer</b>		<b>Acrylates/Steareth-20 Methacrylate Crosspolymer</b>		<b>Acrylates/Vinyl isodecanoate Crosspolymer</b>
<b>Totals*</b>	<b>NR</b>	<b>4-6</b>	<b>NR</b>	<b>0.1-2</b>	<b>33</b> <b>0.2-0.5</b>
<b>Duration of Use</b>					
<i>Leave-On</i>	NR	4-6	NR	0.1-2	25 0.3-0.5
<i>Rinse Off</i>	NR	NR	NR	1	8 0.2-0.5
<i>Diluted for (Bath) Use</i>	NR	NR	NR	NR	NR NR
<b>Exposure Type</b>					
Eye Area	NR	6	NR	NR	NR NR
Incidental Ingestion	NR	NR	NR	NR	NR NR
Incidental Inhalation-Sprays	NR	NR	NR	NR	NR 0.4
Incidental Inhalation-Powders	NR	NR	NR	NR	NR NR
Dermal Contact	NR	4-6	NR	0.1-1	33 0.2-0.5

	<i># of Uses</i> <sup>29</sup>	<i>Conc of Use (%) -not polymerized in benzene</i>	<i>Conc of Use (%) - polymerized in benzene</i> <sup>31</sup>		<i># of Uses</i> <sup>29</sup>	<i>Conc of Use (%)</i> <sup>30</sup>
Deodorant (underarm)	NR	NR	NR	NR	NR	NR
Hair - Non-Coloring	NR	NR	NR	2	NR	NR
Hair-Coloring	NR	NR	NR	NR	NR	NR
Nail	NR	NR	NR	NR	NR	NR
Mucous Membrane	NR	NR	NR	1	NR	NR
Baby Products	NR	NR	NR	NR	NR	NR
	<b>Acrylates/Vinyl Neodecanoate Crosspolymer</b>		<b>Allyl Methacrylates Crosspolymer</b>		<b>Lauryl Methacrylate/Glycol Dimethacrylate Crosspolymer</b>	
<b>Totals*</b>	<b>10</b>	<b>2</b>	<b>48</b>	<b>0.003-2</b>	<b>63</b>	<b>0.06-3</b>
<b><i>Duration of Use</i></b>						
<i>Leave-On</i>	4	NR	44	0.003-2	56	0.06-3
<i>Rinse Off</i>	4	2	4	0.1	7	0.2-3
<i>Diluted for (Bath) Use</i>	2	2	NR	NR	NR	NR
<b><i>Exposure Type</i></b>						
Eye Area	NR	NR	4	0.003-0.8	9	0.1-3
Incidental Ingestion	NR	NR	16	0.04-0.2	8	0.06-2
Incidental Inhalation-Sprays	NR	NR	2 <sup>b</sup>	NR	1 <sup>a</sup>	0.3
Incidental Inhalation-Powders	NR	NR	2	0.3-0.8	8	0.1-1
Dermal Contact	10	2	31	0.003-2	53	0.06-3
Deodorant (underarm)	NR	NR	NR	NR	1	0.3
Hair - Non-Coloring	NR	NR	NR	NR	NR	NR
Hair-Coloring	NR	NR	NR	NR	NR	NR
Nail	NR	NR	NR	NR	1	NR
Mucous Membrane	6	2	16	0.04-0.2	8	0.06-2
Baby Products	NR	NR	NR	NR	NR	NR



**Table 4a.** Frequency and concentration of use according to duration and type of exposure (continued)

	<i># of Uses</i> <sup>29</sup>	<i>Conc of Use (%)</i> <sup>30</sup>	<i># of Uses</i> <sup>29</sup>	<i>Conc of Use (%)</i> <sup>30</sup>	<i># of Uses</i> <sup>29</sup>	<i>Conc of Use (%)</i> <sup>30</sup>
	<b>Lauryl Methacrylate/Sodium Methacrylate Crosspolymer</b>		<b>Sodium Acrylates/C10-30 Alkyl Acrylate Crosspolymer</b>		<b>Sodium Acrylates Crosspolymer-2</b>	
			<i># of Uses</i> <sup>29</sup>	<i>Conc of Use (%)</i> <sup>30</sup>	<i># of Uses</i> <sup>29</sup>	<i>Conc of Use (%)</i> <sup>30</sup>
<b>Totals*</b>	<b>1</b>	<b>0.004-4</b>	<b>6</b>	<b>NR</b>	<b>NR</b>	<b>0.8</b>
<b><i>Duration of Use</i></b>						
<i>Leave-On</i>	1	0.1-4	6	NR	NR	0.8
<i>Rinse Off</i>	NR	0.004-0.1	NR	NR	NR	NR
<i>Diluted for (Bath) Use</i>	NR	NR	NR	NR	NR	NR
<b><i>Exposure Type</i></b>						
Eye Area	NR	NR	NR	NR	NR	NR
Incidental Ingestion	NR	NR	NR	NR	NR	NR
Incidental Inhalation-Sprays	NR	NR	1	NR	NR	NR
Incidental Inhalation - Powders	NR	NR	NR	NR	NR	NR
Dermal Contact	1	0.004-4	6	NR	NR	0.8
Deodorant (underarm)	NR	NR	NR	NR	NR	NR
Hair - Non-Coloring	NR	NR	NR	NR	NR	NR
Hair-Coloring	NR	NR	NR	NR	NR	NR
Nail	NR	NR	NR	NR	NR	NR
Mucous Membrane	NR	NR	NR	NR	NR	NR
Baby Products	NR	NR	NR	NR	NR	NR

\* Because each ingredient may be used in cosmetics with multiple exposure types, the sum of all exposure types may not equal the sum of total uses.

<sup>a</sup> Includes deodorants, in that it is not known whether or not the product is a spray.

<sup>b</sup> Includes suntan products, in that it is not known whether or not the reported product is a spray.

NR – no reported uses

**Table 4b. Ingredients Not Reported to be Used**

Acrylates/C12-13 Alkyl Methacrylates/Methoxyethyl Acrylate Crosspolymer

Acrylates/Ethylhexyl Acrylate/Glycidyl Methacrylate Crosspolymer

Acrylates/PEG-4 Dimethacrylate Crosspolymer

Allyl Methacrylate/Glycol Dimethacrylate Crosspolymer

Butyl Acrylate/Glycol Dimethacrylate Crosspolymer

C8-22 Alkyl Acrylates/Methacrylic Acid Crosspolymer

Glycol Dimethacrylate/Vinyl Alcohol Crosspolymer

Methacrylic Acid/PEG-6 Methacrylate/PEG-6 Dimethacrylate Crosspolymer

PEG/PPG-5/2 Methacrylate/Methacrylic Acid Crosspolymer

Potassium Acrylates/C10-30 Alkyl Acrylate Crosspolymer

Sodium Acrylates/Vinyl Isodecanoate Crosspolymer

Stearyl/Lauryl Methacrylate Crosspolymer

Table 6. Dermal irritation and sensitization – alternative, non-human, and human

Test Article	Concentration/Dose	Test Population	Procedure	Results	Reference
<b>ALTERNATIVE STUDIES</b>					
<b><i>Acrylates/Vinyl Isodecanoate Crosspolymer</i></b>					
as Stabylen 30 (tradename)			SKIN-TEX method; standard volume-response study using ≤100 ml samples	non-irritant (predicted classification)	40
<b>NON-HUMAN</b>					
<b><i>Acrylates/C10-30 Alkyl Acrylate Crosspolymer</i></b>					
as Pemulen (tradename)	0.5 g undiluted	6 NZW rabbits	semi-occlusive; abraded and non-abraded sites; 24 h application	PII 0.42/8 – negligible irritation potential very slight erythema was observed at 1 h; no irritation observed at 72 h	46
as Carbopol ETD (tradename)	0.5 g undiluted	3 rabbits	semi-occlusive patch; non-abraded skin; 4 h application	PII 0.0-1.5; non- to slight irritant very slight erythema and edema	43
	0.5 ml of a 1% neutralized solution			PII 0.0-0.1; non- to very slight irritant	40
as Carbopol Ultrez-21 (tradename)	0.5 g, moistened with 0.5 ml water	3 rabbits	semi-occlusive patch; non-abraded skin; 4 h application	PII 0.3 – produced slight irritation	44
as Carbopol Ultrez-20 (tradename)	0.5 g, moistened with 0.5 ml water	3 rabbits	semi-occlusive patch; non-abraded skin; 4 h application	PII 0.3 – produced slight irritation	45
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	2% aq.	5 guinea pigs	maximization (split adjuvant) test (details not provided)	weak sensitizer	23
<b><i>Acrylates Crosspolymer</i></b>					

**Table 6.** Dermal irritation and sensitization – alternative studies, non-human, and human (continued)

Test Article	Concentration/Dose	Test Population	Procedure	Results	Reference
Acrylates Crosspolymer	30% in olive oil	3 rabbits	open application of 0.1 ml to a 2.5 cm x 2.5 cm site; 1x/day for 4 days	no irritation	24
<b>Sodium Acrylates Crosspolymer-2</b>					
as Aqua Keep 10SH-NFC (tradename)	not stated	rabbits	information provided in an industry MSDS	not an irritant	41
		guinea pigs		not a sensitizer	
<b>HUMAN</b>					
<b>Acrylates/C10-30 Alkyl Acrylate Crosspolymer</b>					
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	15 µl of 2% aq. dilution	20 subjects	single 24-h occlusive patch	24 h: ± response in 3/20 subjects 84 h: ± response in 1/20 subjects (results were based on Japanese criteria)	23
as Carbopol ETD (tradename)	undiluted (>97.5%) <sup>51</sup>	100 subjects	material was applied to a 2 cm x 2 cm pad; patch was applied for 4 consecutive days during wks 1-3; challenge was performed after 1 wk and included 4 applications	not an irritant or sensitizer	43
as Carbopol Ultrez 21 (tradename)	150 mg of a 10% dilution	111 subjects	test material was applied to a 2 cm x 2 cm pad; patch was applied for 4 consecutive days during wks 1-3; challenge was performed after 1 wk and included 4 applications	not an irritant or sensitizer	44
as Carbopol Ultrez 20 (tradename)	150 mg of a 10% dilution	111 subjects	test material was applied to a 2 cm x 2 cm pad; patch was applied for 4 consecutive days during wks 1-3; challenge was performed after 1 wk and included 4 applications	not an irritant or sensitizer	45

**Table 6.** Dermal irritation and sensitization – alternative studies, non-human, and human (continued)

<b>Test Article</b>	<b>Concentration/Dose</b>	<b>Test Population</b>	<b>Procedure</b>	<b>Results</b>	<b>Reference</b>
as Pemulen (tradename)	undiluted (97.5%) <sup>51</sup>	54 subjects	“intensified” Shelanski HRIPT; test material was applied to a 1” x 1” patch	weak irritant response; not a sensitizer	46
body lotion with 0.15% Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.2 g	107 subjects	test material was applied to a 1” x 1” absorbent pad and allowed to volatilize for several min; semi-occlusive patch; 24 h applications made 3 x/wk for 3 wk; challenge was applied after 2 wks	during induction, faint or moderate erythema was observed once for 9 subjects and twice for 2 subjects; at challenge, faint erythema was observed once for 3 subjects	52
crème with 0.60% Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.2 g	51 subjects	test material was applied to a 1” x 1” absorbent pad and allowed to volatilize for several min; semi-occlusive patch; 24 h semi-occlusive patches applied 3 x/wk for 3 wk; challenge was applied after 2 wks	not a dermal irritant or sensitizer	53
Acrylates Crosspolymer	15 µl; 30% in olive oil	20 subjects	single 24-h occlusive patch	not an irritant according to Japanese criteria	24
eye lotion with 0.75% Acrylates Crosspolymer	undiluted	46 subjects	HRIPT with occlusive patch	not an irritant or sensitizer	54
skin cleanser with 0.8% Acrylates Crosspolymer	1% aq. dilution	60 subjects	HRIPT with occlusive patch	not an irritant or sensitizer	54
lipstick with 4% Acrylates Crosspolymer	0.2 g	85 subjects	HRIPT with occlusive patch	not an irritant or sensitizer	55
facial sunscreen with 6.8565% Acrylates/Ethylhexyl Acrylate Crosspolymer	undiluted	600 subjects	modified DraizeRIPT with ten 48-h induction patches using 0.5 in square occlusive patches; the first challenge was applied after a 2-wk non-treatment period; an additional challenge application was made 1 wk after the first challenge application	no evidence of primary irritation, skin fatigue, or sensitization	56

**Table 6.** Dermal irritation and sensitization – alternative studies, non-human, and human (continued)

Test Article	Concentration/Dose	Test Population	Procedure	Results	Reference
<b><i>Acrylates/Stearth-20 Methacrylate Crosspolymer</i></b>					
the acrylic copolymer of Aculyn 88 Polymer (tradename)	not stated	not stated	21-day cumulative irritation study (GCP)	no irritation or sensitization	10
the acrylic copolymer of Aculyn 88 Polymer (tradename)	not stated	not stated	HRIPT (GCP)	no irritation or sensitization	10
<b><i>Acrylates/Vinyl Isodecanoate Crosspolymer</i></b>					
as Stablylen 30 (tradename)	0.5-2.5% aq.	25 subjects	Kligman test (additional details were not provided)	not an irritant or sensitizer	40
<b><i>Acrylates/Vinyl Neodecanoate Crosspolymer</i></b>					
the acrylic copolymer of Aculyn 38 Polymer (tradename)	not stated	not stated	21-day cumulative irritation study (GCP)	at most, a mild irritant with unformulated polymer and under worse-case conditions	12
the acrylic copolymer of Aculyn 38 Polymer (tradename)	not stated	not stated	HRIPT (GCP)	not an irritant or sensitizer	12
bath crème with 2% Acrylates/Vinyl Neodecanoate Crosspolymer	1% aq. dilution	108 subjects	HRIPT; 24-h occlusive patches applied 3x/wk for 3 wks; 24-h challenge after a 2-wk non-treatment period; (size of patch was not provided)	not an irritant or sensitizer	57
bath crème with 2% Acrylates/Vinyl Neodecanoate Crosspolymer	1% aq. dilution	109 subjects	HRIPT; 24-h occlusive patches applied 3x/wk for 3 wks; 24-h challenge after a 2-wk non-treatment period; (size of patch was not provided)	not an irritant or sensitizer	58
bubble bath with 2% Acrylates/Vinyl Neodecanoate Crosspolymer	1% aq. dilution	108 subjects	HRIPT; 24-h occlusive patches applied 3x/wk for 3 wks; 24-h challenge after a 2-wk non-treatment period; (size of patch was not provided)	not an irritant or sensitizer	59

**Table 6.** Dermal irritation and sensitization – alternative studies, non-human, and human (continued)

<b>Test Article</b>	<b>Concentration/Dose</b>	<b>Test Population</b>	<b>Procedure</b>	<b>Results</b>	<b>Reference</b>
bath gel with 2% Acrylates/Vinyl Neodecanoate Crosspolymer	1% aq. dilution	108 subjects	HRIPT; 24-h occlusive patches applied 3x/wk for 3 wks; 24-h challenge after a 2-wk non-treatment period; (size of patch was not provided)	not an irritant or sensitizer	60
bath product with 2% Acrylates/Vinyl Neodecanoate Crosspolymer	1% aq. dilution	106 subjects	HRIPT; 24-h occlusive patches applied 3x/wk for 3 wks; 24-h challenge after a 2-wk non-treatment period; (size of patch was not provided)	not an irritant or sensitizer	61
bath foam with 2% Acrylates/Vinyl Neodecanoate Crosspolymer	1% aq. dilution	106 subjects	HRIPT; 24-h occlusive patches applied 3x/wk for 3 wks; 24-h challenge after a 2-wk non-treatment period; (size of patch was not provided)	not an irritant or sensitizer	62
bath foam with 2% Acrylates/Vinyl Neodecanoate Crosspolymer	1% aq. dilution	106 subjects (same subjects as above)	HRIPT; 24-h occlusive patches applied 3x/wk for 3 wks; 24-h challenge after a 2-wk non-treatment period; (size of patch was not provided)	not an irritant or sensitizer	63
bath foam with 2% Acrylates/Vinyl Neodecanoate Crosspolymer	1% aq. dilution	106 subjects (same subjects as above)	HRIPT; 24-h occlusive patches applied 3x/wk for 3 wks; 24-h challenge after a 2-wk non-treatment period; (size of patch was not provided)	not an irritant or sensitizer	64
bubble bath with 2% Acrylates/Vinyl Neodecanoate Crosspolymer	1% aq. dilution	107 subjects	HRIPT; 24-h occlusive patches applied 3x/wk for 3 wks; 24-h challenge after a 2-wk non-treatment period; (size of patch was not provided)	not an irritant or sensitizer	65
<b><i>Lauryl Methacrylate/Glycol Dimethacrylate Crosspolymer</i></b>					
face powder with 1% Lauryl Methacrylate/Glycol Dimethacrylate Crosspolymer	0.2 g	104 subjects	HRIPT; 24-h occlusive patches applied 3x/wk for 3 wks; 24-h challenge after a 10-15 day non-treatment period; (size of patch was not provided)	not an irritant or sensitizer	66
exfoliator cream with 2.6% Lauryl Methacrylate/Glycol Dimethacrylate Crosspolymer	0.2 g	619 subjects	HRIPT with ten 24 h occlusive applications of a ¾" x ¾" patch; 24-h challenge after a 2-wk non-treatment period; rechallenge was performed on 2 subjects using semi-occlusive and open repetitive application	not an irritant or sensitizer after challenge, one subject had moderate (at 24 h) and mild (at 72 h) erythema and edema, and one subject had barely perceptible erythema at 72 h; these results were not reproducible at rechallenge	67





Table 5. Relevant summary information on component monomers

Monomer Component	Parameter Evaluated	Outcome	Reference
Acrylic Acid	Toxicokinetics	<u>Dermal</u> : radioactivity was recovered mostly in the skin trap, and then in expired CO <sub>2</sub>	1
		<p><u>Oral</u>: In numerous studies using rats, the dose was primarily excreted in expired air in most cases; elimination was generally rapid; uptake and elimination appeared to be biphasic; absorption and excretion were also rapid in mice</p> <p><u>Inhalation</u>: Rats were exposed to acrylic acid via inhalation; most of the radioactivity was found in the head and snout, with relatively large amounts also recovered in the upper respiratory tract</p>	
	Toxicological Studies	<u>Single Dose - Dermal</u> : LD <sub>50</sub> – 295 to 950 mg/kg in rabbits	1
		<u>Oral</u> : LD <sub>50</sub> – 2100 to 3200 mg/kg in rabbits and rats; produced gastric lesions	
		<u>Inhalation</u> : LC <sub>50</sub> – 3600 mg/m <sup>3</sup> in rats	
		<u>Repeated Dose – Dermal</u> : 4% produced toxic effects in mice in a 13-wk study	
Reproductive and Developmental Toxicity		<u>Oral</u> : toxic effects were observed in rats in a 90-day drinking water study with doses of ≤750 mg/kg and in a 90-day gavage study in rats doses with 150 or 375 mg/kg; stomach lesions were not observed with up to 500 ppm in a 12-mos drinking study with rats	1
		<u>Inhalation</u> : nasal irritation and/or lesions were observed in rats and/or mice exposed to 1500 ppm for 4-day up to 225 ppm for 2-wk , 300 ppm for 20-days, and 75 ppm for 13-wks	
		<u>Oral</u> : did not produce teratogenic effects in rats, NOAEL of 250 mg/kg; did affect body weights and some organ weights in the parental animals	
Genotoxicity		<u>Inhalation</u> : not teratogenic or embryotoxic in rats at concentrations up to 120 ppm; did produce maternal toxicity at concentrations of 120 ppm and greater	1
		genotoxic in mouse lymphoma assays, and in an in vitro cytogenetic assay; not genotoxic or mutagenic in Ames tests, unscheduled DNA synthesis (UDS) assay, micronucleus assay, in vivo transformation assay, Chinese hamster ovary (CHO)/HGPRT, in vivo cytogenetic assay, Drosophila test, or mouse dominant lethal assay	

Table 5. Relevant summary information on components (continued)

Monomer Component	Parameter Evaluated	Outcome	Reference
	Carcinogenicity	<p><u>Dermal</u>: in one study, 4% in acetone was a complete but weak carcinogen in mice; in another, 1% was not carcinogenic in mice</p> <p><u>Oral</u>: not carcinogenic in rats when given in drinking water at up to 1200 ppm</p> <p><u>Parenteral</u>: not carcinogenic when 1.4 mg was injected subcutaneously (s.c.) to mice</p> <p>IARC Evaluation: no epidemiological data relevant to carcinogenicity were available; no experimental data relevant to carcinogenicity were available; <i>not classifiable as to its carcinogenicity to humans (Group 3)</i></p>	1  68
	Irritation and Sensitization	<p><u>Skin</u>: 4% was irritating to the skin of mice</p> <p><u>Mucosal</u>: a 1% solution caused significant injury to the rabbit eye</p>	1
<b>Methyl Acrylate</b>	Toxicokinetics	<p><u>Dermal</u>: In guinea pigs exposed dermally to methyl [2,3-<sup>14</sup>C]acrylate, radioactivity was seen in the s.c. tissues and throughout the body</p> <p><u>Oral</u>: the dose was primarily excreted in expired air; elimination was rapid (rats)</p>	69
	Toxicological Studies	<p><u>Single Dose - Oral</u>: produced gastric lesions when given inhibited with 200 ppm hydroquinone monomethyl ether (HQMME)</p> <p><u>Repeated Dose – Oral</u>: not toxic when given orally to rats (details not provided)</p>	1 1
	Reproductive and Developmental Toxicity	<p><u>Inhalation</u>: up to 200 ppm did not produce teratogenic or reproductive effects in rats</p>	1
	Genotoxicity	<p>genotoxic in mouse lymphoma and chromosomal aberration assays; positive in one and negative in two micronucleus tests; not mutagenic or genotoxic in an Ames, <i>Salmonella</i>/microsome, liquid incubation, monolayer, suspension, or AS52/XRPT assay</p>	1
	Carcinogenicity	<p><u>Inhalation</u>: up to 135 ppm was not carcinogenic to rats</p> <p>IARC Evaluation: no epidemiological data relevant to the carcinogenicity; <i>inadequate evidence</i> in experimental animals; <i>not classifiable as to its carcinogenicity to humans (Group 3)</i></p>	1 69

Table 5. Relevant summary information on components (continued)

Monomer Component	Parameter Evaluated	Outcome	Reference
<b>Ethyl Acrylate</b>	Toxicokinetics	<u>Oral</u> : the dose was primarily excreted in expired air; elimination was rapid (rats)	1
	Toxicological Studies	<u>Single Dose - Oral</u> : produced gastric lesions when given inhibited with 15-20 ppm HQMME	1
		<u>Repeated Dose – Oral</u> : 2-wk study in rats with dosing via gavage or drinking water - gastric lesions were observed, primarily in the forestomach., at doses of 20-100 mg/kg given buy gavage and at concentrations 1000-4000 ppm in drinking water; in a 13-wk gavage study, doses of ≤200 mg/kg produced lesions in the forestomach of rats; stomach lesions were not observed at concentrations up to 2000 ppm in a 2-yr drinking study with rats or up to 1000 ppm in a 2-yr capsule study with dogs	1
	Reproductive and Developmental Toxicity	<u>Inhalation</u> : no nasal lesions were observed with up to 300 ppm in a 1-month study using rats and mice; nasal lesions were observed at concentrations of ≥242 ppm in rats in a 12-wk study	1
		<u>Inhalation</u> : up to 200 ppm was not embryotoxic or fetotoxic in rats; maternal toxicity observed with 150 ppm	1
Genotoxicity	genotoxic in a mouse lymphoma and chromosomal aberration assay; induced chromosomal malsegregation and mitotic recombination using <i>S. cerevisiae</i> ; positive in one and negative in one micronucleus assay; not mutagenic or genotoxic in an Ames, <i>Salmonella</i> /microsome, liquid incubation, monolayer, chromosomal , sister chromatid exchange (SCE), or Drosophila assay	1	
	Carcinogenicity	<u>Dermal</u> : tested undiluted, not carcinogenic to mice	1
		<u>Oral</u> : in corn oil, carcinogenic in male and female rats and mice at 100 and 200 mg/kg	70
<b>Butyl Acrylate</b>	Toxicokinetics	<u>Inhalation</u> : up to 225 ppm was not carcinogenic in mice or rats	70
		<u>IARC Evaluation</u> : no epidemiological data relevant to the carcinogenicity; <i>sufficient evidence</i> in experimental animals; <i>possibly carcinogenic to humans (Group 2B)</i>	
	Toxicological Studies	<u>Oral</u> : the dose was primarily excreted in expired air (rats) <u>Single Dose Oral</u> : produced gastric lesions when given inhibited with 10-55 HQMME	1

Table 5. Relevant summary information on components (continued)

Monomer Component	Parameter Evaluated	Outcome	Reference
		<p><u>Repeated Dose – Oral</u>: not toxic when given orally to rats (details not provided)</p> <p><u>Inhalation</u>: toxicity was observed in rats and hamsters upon 3 6-h exposures to 820 and 817 ppm, respectively; nasal lesions were observed in rats exposed to concentrations <math>\geq 108</math> ppm in a 13-wk study</p>	1
	Reproductive and Developmental Toxicity	<p><u>Inhalation</u>: no toxic effects were seen with 25 ppm; high concentrations had toxic effects on the fetuses and dams</p>	1
	Genotoxicity	positive in one and negative in one chromosomal aberration assay; not mutagenic or genotoxic in an Ames, <i>Salmonella</i> /microsome, liquid incubation, UDS, micronucleus, or in vitro transformation assay	1
	Carcinogenicity	<p><u>Dermal</u>: 1% was not carcinogenic in mice</p> <p><u>Inhalation</u>: up to 135 ppm was not carcinogenic to rats</p> <p>IARC Evaluation: no epidemiological data relevant to the carcinogenicity; <i>inadequate evidence</i> in experimental animals; <i>not classifiable as to its carcinogenicity to humans (Group 3)</i></p>	71
<b>2-Ethylhexyl Acrylate</b>	Toxicokinetics	<u>Oral</u> : the dose was primarily excreted in expired air; elimination was rapid (rats)	1
	Reproductive and Developmental Toxicity	<u>Inhalation</u> : up to 100 ppm did not produce teratogenic or reproductive effects in rats	1
	Genotoxicity	genotoxic in a mouse lymphoma forward mutation assay with metabolic activation; equivocally genotoxic in mutation and aberrations assays; weakly mutagenic in SCE and UDS assays; not mutagenic or genotoxic in a microbial mutagen test, Ames test, mammalian cell transformation assay, micronucleus test, monolayer or suspension assay, CHO assay, or in vivo cytogenic assay	1
	Carcinogenicity	<u>Dermal</u> : carcinogenic at a dose of $\geq 21\%$ when applied to mice – the carcinogenic response may have been associated	1

Table 5. Relevant summary information on components (continued)

Monomer Component	Parameter Evaluated	Outcome	Reference
		with the severe skin irritation induced by the chemical	72
		Tested by skin application in three experiments in mice; it increased the incidence of squamous-cell carcinomas of the skin in 2 experiments and of malignant melanomas in one experiment; in the third experiment, in a different strain of mice, no increase in skin tumor incidence was seen with or without subsequent application of 12-O-tetradecanoylphorbol 13-acetate	
		IARC Evaluation: <i>inadequate evidence</i> in humans for carcinogenicity; <i>limited evidence</i> in experimental animals; <i>not classifiable as to its carcinogenicity to humans (Group 3)</i>	
	Irritation and Sensitization	<u>Dermal - Non-Human</u> : sensitization was observed when guinea-pigs were treated with 2-ethylhexyl acrylate in Freund's complete adjuvant	72
		<u>Human</u> : in a provocative test with 243 patients with a history of exposure to (meth)acrylates, none of the patients were sensitized with patches containing 0.1-0.5% 2-ethylhexyl acrylate	1
<b>Polyacrylic Acid</b>	Animal Toxicology	<u>Single Dose - Oral</u> : LD <sub>50</sub> - 2500 mg/kg in rats	1
	CIR Conclusion (2002)	<b>safe as used when formulated to avoid skin irritation</b>	1
<b>Sodium Polyacrylate</b>	Animal Toxicology	<u>Single Dose - Oral</u> : LD <sub>50</sub> - >40 g/kg in rats for a 15% solution	1
	Reproductive and Developmental Toxicity	<u>Oral</u> : up to 3000 mg/kg/day low-mol-wt and up to 1125 mg/kg/day high-mol-wt did not cause reproductive effects in rats	1
	Genotoxicity	not genotoxic in an Ames assay, a plate test, a mouse lymphoma assay, chromosomal aberration assays, a UDS assay, or an in vivo mouse micronucleus assay	1
	Irritation and Sensitization	<u>Dermal - Non-Human</u> : not an irritant to rabbit skin when applied undiluted <u>Human</u> : not an irritant or sensitizer (concentration not given)	1
		<u>Ocular</u> : the greatest tolerated concentrations were 13-20% for unrinsed and 20-30% for rinsed rabbit eyes; in an irritant-threshold test, 2% was the greatest concentration that did not produce irritation in rabbit eyes	

Table 5. Relevant summary information on components (continued)

Monomer Component	Parameter Evaluated	Outcome	Reference
	CIR Conclusion (2002)	<i>safe as used when formulated to avoid skin irritation</i>	1
<b>Methacrylic Acid</b>	Toxicokinetics	readily absorbed through the mucous membranes of the lungs and gastrointestinal tract of and the skin, and is readily distributed to all major tissues	73
	Animal Toxicology	<u>Single Dose – Dermal</u> : reported LD <sub>50</sub> values ranged from 500-1243 mg/kg for rabbits <u>Oral</u> : reported LD <sub>50</sub> values ranged from 827-1600 mg/kg for mice, 277-2260 mg/kg for rats, and 280-1200 mg/kg for rabbits <u>Inhalation</u> : reported LC <sub>50</sub> values were 3657 ppm in mice, 1350 ppm/4 h in rats, and 2522 ppm/1 h in rabbits <u>Repeated Dose – Oral</u> : no signs of toxicity in a short-term study	73
	Reproductive and Developmental Toxicity	<u>Inhalation</u> : nose and eye irritation and weight loss in rats with 5 exposures to 1300 ppm; only renal congestion in rats with 20 exposures to 300 ppm; in a 2-wk study, repeated doses of ≥100 ppm caused reactions in rats, of ≥500 ppm caused reactions in mice, and 1000 ppm killed all rats and mice; in a 90-day study, respiratory effects were seen in rats and mice exposed to 300 ppm – cytomegaly of renal tubular epithelium was observed in >50% of test male mice	73
	Genotoxicity	<u>Inhalation</u> : no reproductive or developmental effects at concentrations up to 300 ppm <u>In Vitro</u> : adverse effects were seen with exposure of rat embryos to ≥129 µg/ml	73
	Carcinogenicity	positive in a DNA cell-binding assay; negative in an Ames test it was reported that IARC reviewed methacrylic acid, but did not prepare a monograph because inadequate data were available	73
	Irritation and Sensitization	<u>Dermal – Non-Human</u> : corrosive to rabbit and guinea pig skin; in a guinea pig maximization study, it was difficult to determine if observed reactions were hypersensitivity or irritation; guinea pigs were not sensitized in 3 other studies <u>Mucosal</u> : caused severe corneal, iridal, and conjunctival effects in rabbits in one study; in an inhalation study, 56,916 ppm was corrosive to rabbit eyes	73
	Clinical Use	negative results were reported in a number of patch tests of patients allergic to methyl methacrylate and to workers exposed to acrylates	73

Table 5. Relevant summary information on components (continued)

Monomer Component	Parameter Evaluated	Outcome	Reference
	Discussion Items	the Panel was concerned with the extreme corrosivity; a presentation demonstrated that a trained professional could apply the acid to the nail without exposure to the skin, but this could not be demonstrated for retail consumers; due to concerns that inhalation could affect the respiratory tract, and the nail technician could be subjected to increased exposure in a commercial setting, the NIOSH-recommended exposure limit of 20 ppm as a time-weighted average concentration should not be exceeded; the Consumer Product Safety Commission rule requires child-resistant packaging for liquid household products containing >5% methacrylic acid (wt to vol)	73
	CIR Conclusion (2005)	<b>safe as used as a nail primer by trained professionals; insufficient data for retail use by consumers</b>	73
<b>Methyl Methacrylate</b>	Toxicokinetics	can be absorbed through the skin of humans	74
	Animal Toxicology	<u>Repeated Dose - Oral</u> : chronic exposure to ≤400 ppm did not cause tumors in hamsters or rats	75
	Genotoxicity	genotoxic in a chromosomal aberration, SCE, and mouse lymphoma assay; not mutagenic in a <i>Salmonella</i> /microsome or liquid incubation assay	1
	Carcinogenicity	<u>Oral</u> : not carcinogenic in a drinking study using rats <u>Inhalation</u> : up to 400 ppm was not carcinogenic in mice or rats	74,75
	Irritation and Sensitization	<u>IARC</u> : <i>inadequate evidence</i> in humans for carcinogenicity; <i>evidence suggesting lack of carcinogenicity</i> in experimental animals; <i>not classifiable as to its carcinogenicity in humans (Group 3)</i> <u>Dermal – Non-Human</u> : sensitizing at 25% in guinea pigs; minimum induction concentration was 1 M; was a weak contact allergen in a local lymph node assay <u>Human</u> : the frequency of positive reactions among all patients to methyl methacrylate was 7/22; the frequency of positive reactions among patients with artificial nails was 1/10	76

Table 5. Relevant summary information on components (continued)

Monomer Component	Parameter Evaluated	Outcome	Reference
Ethyl Methacrylate	Genotoxicity	not mutagenic in a <i>Salmonella</i> /microsome assay; genotoxicity in a mouse lymphoma cell assay was considered likely due to a clastogenic mechanism	1
	Irritation and Sensitization	<u>Dermal</u> — Human: the frequency of positive reactions among all patients tested was 14/22; The frequency of positive reactions among patients with artificial nails was 7/11 (64%),	76
	Discussion Items	(This ingredient was reviewed for its use nail enhancement products.) the Panel was concerned with the strong sensitization and cross- or co-reactivity potential of methacrylates; however data were submitted that indicated there would be little monomer available for exposure to the skin; genotoxicity data indicated the some methacrylates could produce chromosome damage; the Panel restricted methacrylates to the nail, and they must not come in contact with skin; initial concern that exotherms created from the rapid polymerization of the monomers could damage the nail were alleviated	75
	CIR Conclusion (2005)	<b>safe as used in nail enhancement products when skin contact is avoided; products containing this ingredient should be accompanied with directions to avoid skin contact, because of the sensitizing potential of methacrylates</b>	75
Butyl Methacrylate	Animal Toxicology	<u>Single Dose</u> — <u>Dermal</u> : 10 cc/kg did not cause mortality in rabbits, but acute dermal irritation was reported; one LD <sub>50</sub> value of >2000 mg/kg in rabbits was reported; the LD <sub>50</sub> in guinea pigs was >20 ml/kg  <u>Oral</u> : reported oral LD <sub>50</sub> values in rats ranged from >2000 to >20,000 mg/kg  <u>Inhalation</u> : reported LC <sub>50</sub> value was 28,469 mg/m <sup>3</sup> rats;	75
		<u>Repeated Dose</u> — <u>Oral</u> : in rats, the NOELS were 20 mg/kg/day in a 28-day study, 30 (males) and 300 (females) mg/kg/day in a 45-day study, and <30 (males) and 30 (females) mg/kg/day in a 50-day study  <u>Inhalation</u> : caused upper airway irritation in a 28-day study in rats – the NOEL was 1801 mg/m <sup>3</sup>	75
	Reproductive and Developmental Toxicity	<u>Oral</u> : a decrease in corpora lutea and implantations was reported in rats; the parental NOAELs were 1000 and 300 mg/kg/day for males and females, respectively  <u>Inhalation</u> : threshold concentration for embryotoxic and teratogenic effects in rats was 0.1 mg/m <sup>3</sup> ; slight fetotoxicity was reported in rats exposed to ≤1200 ppm on days 6-20 of gestation	75
	Genotoxicity	not mutagenic in multiple Ames tests with or without metabolic activation; was mutagenic to <i>Salmonella typhimurium</i> TA1538 with metabolic activation in one study	75



Table 5. Relevant summary information on components (continued)

Monomer Component	Parameter Evaluated	Outcome	Reference
	Irritation and Sensitization	<p><u>Dermal - Non-Human</u>: a very strong sensitizer in one study using guinea pigs; considered a moderate sensitizer in another study using guinea pigs; in a few studies, a sensitization reaction was not produced</p> <p>Human: 1% caused 1 positive reaction in 12 subjects in a Draize contact sensitization study; in provocative testing, 1% elicited positive reactions to patch tests</p> <p><u>Ocular</u>: mildly irritating to rabbit eyes</p>	75
	Discussion Items	<p>(This ingredient was reviewed for its use nail enhancement products.) The Panel was concerned with the strong sensitization and cross- or co-reactivity potential of methacrylates; however data were submitted that indicated there would be little monomer available for exposure to the skin; genotoxicity data indicated the some methacrylates could produce chromosome damage; the Panel restricted methacrylates to the nail, and they must not come in contact with skin; initial concern that exotherms created from the rapid polymerization of the monomers could damage the nail were alleviated.</p>	75
	CIR Conclusion (2005)	<p><b>safe as used in nail enhancement products when skin contact is avoided; products containing this ingredient should be accompanied with directions to avoid skin contact, because of the sensitizing potential of methacrylates</b></p>	75
<b>Isobutyl Methacrylate</b>	Animal Toxicology	<p><u>Single Dose - Dermal</u>: the reported dermal LD<sub>50</sub> was &gt;20 ml/kg in guinea pigs</p> <p><u>Oral</u>: reported LD<sub>50</sub> values in rats ranged from &gt;5000 to 12,800 mg/kg</p> <p><u>Inhalation</u>: 50% of mice died after exposure to 29.74 mg/l for 289 minutes; was considered a toxic (but not highly toxic) substance by inhalation exposure</p>	75
	Genotoxicity	not mutagenic in multiple Ames tests with or without metabolic activation	75
	Irritation and Sensitization	<p><u>Dermal - Human</u>: 1% caused no positive reaction in 11 subjects in a contact sensitization study; in provocative testing, 1% elicited positive reactions to patch tests</p> <p><u>Ocular</u>: mildly irritating to rabbit eyes</p>	75

Table 5. Relevant summary information on components (continued)

Monomer Component	Parameter Evaluated	Outcome	Reference
	Discussion Items	(This ingredient was reviewed for its use nail enhancement products.) The Panel was concerned with the strong sensitization and cross- or co-reactivity potential of methacrylates; however data were submitted that indicated there would be little monomer available for exposure to the skin; genotoxicity data indicated the some methacrylates could produce chromosome damage; the Panel restricted methacrylates to the nail, and they must not come in contact with skin; initial concern that exotherms created from the rapid polymerization of the monomers could damage the nail were alleviated.	75
	CIR Conclusion (2005)	<b>safe as used in nail enhancement products when skin contact is avoided; products containing this ingredient should be accompanied with directions to avoid skin contact, because of the sensitizing potential of methacrylates</b>	75
<b>Lauryl Methacrylate</b>	Animal Toxicology	<u>Single Dose – Oral</u> : no rats dosed with $\leq 21.5$ ml/kg C12-C18 methacrylate monomers died <u>Inhalation</u> : the RD <sub>50</sub> was 3900 mg/m <sup>3</sup> in mice	75
		<u>Repeated Dose – Inhalation</u> : not toxic to rats in a 20-day study	75
	Irritation and Sensitization	<u>Dermal – Non-Human</u> : strong sensitizer in guinea pigs	75
	Discussion Items	(This ingredient was reviewed for its use nail enhancement products.) The Panel was concerned with the strong sensitization and cross- or co-reactivity potential of methacrylates; however data were submitted that indicated there would be little monomer available for exposure to the skin; genotoxicity data indicated the some methacrylates could produce chromosome damage; the Panel restricted methacrylates to the nail, and they must not come in contact with skin; initial concern that exotherms created from the rapid polymerization of the monomers could damage the nail were alleviated.	75
	CIR Conclusion (2005)	<b>safe as used in nail enhancement products when skin contact is avoided; products containing this ingredient should be accompanied with directions to avoid skin contact, because of the sensitizing potential of methacrylates</b>	75
<b>PEG-4 Dimethacrylate</b>	Animal Toxicology	<u>Single Dose – Dermal</u> : the LD <sub>50</sub> was $>3$ g/kg in rats <u>Oral</u> : LD <sub>50</sub> was $>5000$ mg/kg in rats	75
	Genotoxicity	not mutagenic in multiple Ames tests with or without metabolic activation; weakly positive in a mouse lymphoma cell assay with metabolic activation	75

Table 5. Relevant summary information on components (continued)

Monomer Component	Parameter Evaluated	Outcome	Reference
	Carcinogenicity	<u>Dermal</u> : no increase in skin or visceral tumors in an 80-wk study with 25 mg given twice weekly	75
	Irritation and Sensitization	<u>Dermal - Non-Human</u> : moderate sensitizer in guinea pigs; not a sensitizer in one study <u>Ocular</u> : minimally irritating to rabbit eyes	75
	Discussion Items	(This ingredient was reviewed for its use nail enhancement products.) The Panel was concerned with the strong sensitization and cross- or co-reactivity potential of methacrylates; however data were submitted that indicated there would be little monomer available for exposure to the skin; genotoxicity data indicated the some methacrylates could produce chromosome damage; the Panel restricted methacrylates to the nail, and they must not come in contact with skin; initial concern that exotherms created from the rapid polymerization of the monomers could damage the nail were alleviated.	75
	CIR Conclusion (2005)	<b><i>safe as used in nail enhancement products when skin contact is avoided; products containing this ingredient should be accompanied with directions to avoid skin contact, because of the sensitizing potential of methacrylates</i></b>	75

## REFERENCES

1. Andersen FA (ed). Final report on the safety assessment of acrylates copolymer and 33 related cosmetic ingredients. *Int J Toxicol.* 2002;21:(Suppl 3):1-50.
2. Elder RL (ed). Final report on the safety assessment of carbomers-934, -910, -934P, -940, -941, and -962. *J Am Coll Toxicol.* 1982;1:(2):109-141.
3. Andersen FA (ed). Annual Review of Cosmetic Ingredient Safety Assessments - 2001/2002. *Int J Toxicol.* 2003;22:(Suppl 1):1-35.
4. Gottschalck T.E. and Bailey, J. E. International Cosmetic Ingredient Dictionary and Handbook. Washington, DC: Personal Care Products Council, 2010.
5. Kirk-Othmer Concise Encyclopedia of Chemical Technology. 4th ed. NY: Wiley, 1999.
6. Sojka, M. and Matushek, M. New polymer technology for skin oil adsorbers and controlled release. *Cosmet.Toiletries.* 1999;114:(Mar):83-86, 88.
7. Lubrizol. Introducing Pemulen™ polymeric emulsifiers. TDS 114. <http://www.lubrizol.com/PersonalCare/Products/Pemulen/TDS.html>. 2002. Date Accessed 12-7-2010.
8. Personal Care Products Council. Specification information on acrylates/C10-30 alkyl acrylate crosspolymer. 2-28-2011. Unpublished data; originally submitted by the Council on December 15, 2010, corrected version submitted on Feb. 28, 2011. (1 p) Available from CIR.
9. Personal Care Products Council. Acrylates/C10-30 Alkyl Acrylate Crosspolymer: Potential contamination with benzene. 5-9-2011. Unpublished data submitted by the Council on May 9, 2011. (1 p).
10. Dow Chemical Company. ACULYN™ 88 Polymer (Acrylates/Steareth-20 Methacrylate Crosspolymer) Global Cosmetic Dossier. Version 10. 5-2-2011. Unpublished data submitted by the Council on May 3. (12 pp).
11. Personal Care Products Council. Molecular weight, residual monomer data, and method of manufacture on acrylates/vinyl isododecanoate crosspolymer. 12-14-2010. Unpublished data submitted by the Council on Dec 14, 2010. (1 p) Available from CIR.
12. Dow Chemical Company. ACULYN™ 38 Polymer (Acrylates/Vinyl Neodecanoate Crosspolymer) Global Cosmetic Dossier. Version 5. 5-2-2011. Unpublished data submitted by the Council on May 3, 2011. (12 pp).
13. Lubrizol. Carbopol® 1382 Polymer (alkyl/C10-30 alkyl acrylate crosspolymer) product specifications. <http://www.lubrizol.com/PersonalCare/Products/Carbopol/Carbopol1382.html>. 7-17-1997. Date Accessed 12-7-2010.
14. Lubrizol. Carbopol Ultrez 21 Polymer (acrylates/C10-30 alkyl acrylate crosspolymer) product specifications. <http://www.lubrizol.com/PersonalCare/Products/Carbopol/CarbopolUltrez21.html>. 9-16-2003. Date Accessed 12-7-2010.
15. Lubrizol. Carbopol® Ultrez 20 polymer (acrylates/C10-30 alkyl acrylate copolymer) product specifications. <http://www.lubrizol.com/PersonalCare/Products/Carbopol/CarbopolUltrez20.html>. 10-26-2006. Date Accessed 12-7-2010.
16. Lubrizol. Pemulen™ TR-1 Polymeric Emulsifier (acrylates/C10-30 alkyl acrylate crosspolymer) product specifications. <http://www.essentialingredients.com/spec/Pemulen%20TR-1.pdf>. 1997. Date Accessed 12-7-2010.
17. Lubrizol. Pemulen™ TR-2 Polymeric Emulsifier (acrylates/C10-30 alkyl acrylate crosspolymer) product specifications. <http://www.lubrizol.com/PersonalCare/Products/Pemulen/PemulenTR-2.html>. 1997. Date Accessed 12-7-2010.

18. Lubrizol. Carbopol® ETD 2020 polymer (acrylates/C10-30 alkyl acrylate crosspolymer) product specifications. <http://www.lubrizol.com/PersonalCare/Products/Carbopol/CarbopolETD2020.html>. 2001. Date Accessed 12-7-2010.
19. Lubrizol. Carbopol® 1342 Polymer (acrylates/C10-30 alkyl acrylate crosspolymer) product specifications. <http://www.lubrizol.com/PersonalCare/Products/Carbopol/Carbopol1342.html>. 7-17-1997. Date Accessed 12-7-2010.
20. Personal Care Products Council. Benzene impurity in acrylates/C10-30 alkyl acrylate crosspolymer. 5-4-2011. Unpublished data submitted by the Council on May 4, 2011. (1 p).
21. European Commission. European Commission CosIng Cosmetics Directive (v.1); Annex II/47 - benzene. <http://ec.europa.eu/consumers/cosmetics/cosing/index.cfm?fuseaction=search.details&id=28884>. 2009. Date Accessed 5-3-0011.
22. United States Pharmacopeial Convention. USP 32/NF 27. The Official Compendia of Standards. 2009.
23. Personal Care Products Council. Memo introducing summaries of an MSDS acute oral toxicity study, guinea pig sensitization data, an Ames assay, and a human single insult patch test, performed in 2010, on acrylate/C10-30 alkyl acrylate crosspolymer. 2-11-2011. Unpublished data submitted by the Council on Feb. 11, 2011. (2 pp) Available from CIR.
24. Personal Care Products Council. Memo introducing summaries of a dermal irritation study, ocular irritation study, and a human single insult patch test, performed in 2004, on acrylates crosspolymer. 2-11-2011. Unpublished data submitted by the Council on Feb. 11, 2011. (2 pp) Available from CIR.
25. Personal Care Products Council. Memo introducing an HRIPT of a lipstick containing 4% acrylates crosspolymer. 2-22-2011. Unpublished data submitted by the Council on Feb 22, 2011. (1 p) Available from CIR.
26. Personal Care Products Council. Memo introducing HRIPTs on bubble bath and bath and shower foam containing 2% acrylates/vinyl neodecanoate crosspolymer. 2-4-2011. Unpublished data submitted by the Council on Feb. 4, 2011. (1 p) Available from CIR.
27. Personal Care Products Council. Memo introducing studies on a face powder containing 1% lauryl methacrylate/glycol dimethacrylate crosspolymer (product tested as used). 2-7-2011. Unpublished data submitted by the Council on Feb. 7, 2011. (1 p) Available from CIR.
28. Sumitomo Seika. Cosmetic grade AquaKeep 10SH-NFC (Sodium Acrylates Crosspolymer-2). 11-24-2010. Unpublished data submitted by the Personal Care Products Council on Nov. 30, 2010. (1 p). Available from CIR.
29. Food and Drug Administration (FDA). Frequency of use of cosmetic ingredients. *FDA Database*. 2011. Washington, DC: FDA. Updated Feb 25.
30. Personal Care Products Council. Updated concentration of use by FDA product category: Acrylates Crosspolymer Ingredients. 1-28-2011. Unpublished data submitted by the Council on Jan. 28, 2011. (5 pp) Available from CIR.
31. CIR Science and Support Committee of the Personal Care Products Council. 2011. Benzene Impurity in Acrylates/C10-30 Alkyl Acrylates Crosspolymer: Risk Assessment and Updated Concentration of Use Table. Unpublished data submitted by Personal Care Products Council. 21 pages.
32. Johnsen MA. The influence of particle size. *Spray Technology and Marketing*. 2004;November:24-27.
33. Rothe H. Special Aspects of Cosmetic Spray Evaluation. 9-26-2011. Unpublished data presented at the 26 September CIR Expert Panel meeting. Washington, D.C.
34. Rothe H, Fautz R, Gerber E, Neumann L, Rettinger K, Schuh W, and Gronewold C. Special aspects of cosmetic spray safety evaluations: Principles on inhalation risk assessment. *Toxicol Lett*. 2011;205:(2):97-104.
35. Bremmer HJ, Prud'homme de Lodder LCH, and Engelen JGM. Cosmetics Fact Sheet: To assess the risks for the consumer; Updated version for ConsExpo 4. 2006. Report No. RIVM 320104001/2006. pp. 1-77.

36. European Commission. European Commission Health and Consumers Cosmetics - Cosing - Database. <http://ec.europa.eu/consumers/cosmetics/cosing/>. 2010. Date Accessed 11-30-2010.
37. Personal Care Products Council. Comments on the Scientific Literature Review on Crosslinked Alkyl Acrylates. 2011. Memorandum received from the Personal Care Products Council on Jan 20, 2011. (2 pp) Available from CIR.
38. Qiu, H., Mccall, J. W., and Jun, H. W. Formulation of topical insect repellent N,N-diethyl-m-toluamide (DEET): Vehicle effects on DEET in vitro skin permeation. *International Journal of Pharmaceutics (Amsterdam)*. 1998;163:(1-2):167-176.
39. Lubrizol. Material safety data sheet for Pemulen (TM) TR-1 NF Polymer (acrylates/C10-30 alkyl acrylate crosspolymer). <http://online.lubrizol.com/msds/MSDSDisplay.aspx?L=941&c=1942&p=PEM1005>. 11-20-2010. Date Accessed 12-9-2010.
40. 3V Sigma. Toxicological summary review on acrylates/vinyl isododecanoate crosspolymer. 2010. Unpublished data submitted by the Council on Dec 14, 2010. (3 pp) Available from CIR.
41. Sumitomo Seika Chemicals Co. Material safety data sheet on Aqua Keep 10SH-NFC (Sodium Acrylates Crosspolymer-2). 1-11-2010. Unpublished data submitted by the Personal Care Products Council on Nov. 30, 2010. (5 pp). Available from CIR.
42. Institute for In Vitro Sciences, Inc. Topical application ocular irritation screening assay using the epioocular human cell construct on a facepowder containing 1% lauryl methacrylate/glycol dimethacrylate crosspolymer. Study no. 09AC65, 03AA05.015001. Laboratory project no. 5463. 4-20-2009. Unpublished data submitted by the Council on Feb. 7, 2011. (10 pp) Available from CIR.
43. Lubrizol. Carbopol® ETD polymer (acrylates/C10-30 alkyl acrylate crosspolymer) toxicology studies. TOX-003. <http://www.lubrizol.com/PersonalCare/Products/Carbopol/CarbopolETD2020.html>. 1996. Date Accessed 12-7-2010.
44. Lubrizol. Carbopol® Ultrez 21 polymer (acrylates/C10-30 alkyl acrylate crosspolymer) toxicology studies. TOX-023. <http://www.lubrizol.com/PersonalCare/Products/Carbopol/CarbopolUltrez21.html>. 7-10-2002. Date Accessed 12-7-2010.
45. Lubrizol. Carbopol® Ultrez 20 polymer (acrylates/C10-30 alkyl acrylate crosspolymer) toxicology studies. TOX-080. <http://www.lubrizol.com/PersonalCare/Products/Carbopol/CarbopolUltrez20.html>. 2-5-2004. Date Accessed 12-7-2010.
46. Lubrizol. Toxicology/regulatory/health, safety & environmental studies of Pemulen polymer emulsifiers. TOX-007. <http://www.lubrizol.com/PersonalCare/Products/Pemulen/PemulenTR-2.html>. 7-15-2003. Date Accessed 12-7-2010.
47. Environmental Protection Agency (EPA). IRIS summary for benzene. Last revised 1/19/2000. <http://www.epa.gov/iris/subst/0276.htm>. 2002.
48. CAS Registry Online Database. 2010.
49. CosPharm Inc. Product characteristics of Poly-Pore L200 (Allyl Methacrylates Crosspolymer). <http://www.cospharm.com/chemdal/p1200.htm>. 2011. Date Accessed 1-19-2011.
50. CosPharm Inc. Product characteristics of Poly-Pore E200 (Allyl Methacrylates Crosspolymer). <http://www.cospharm.com/chemdal/pe200.htm>. 2011. Date Accessed 1-19-2011.
51. Personal Care Products Council. Comments on the draft report on crosslinked alkyl acrylates prepared for the March 3-4, 2011 CIR Expert Panel meeting. 2-28-2011. Submitted by the Council on Feb. 28, 2011. (1 p) Available from CIR.
52. Consumer Product Testing Co. Final report on a repeated insult patch test of a body lotion containing 0.15% acrylates/C10-30 alkyl acrylate crosspolymer. Exp. Ref. No. C09-1109.01. 5-1-2009. Unpublished data submitted by the Council on Jan 11, 2011. (9 pp) Available from CIR.

53. Consumer Product Testing Co. Final report on a repeated insult patch test on a crème to powder foot crème containing 0.60% acrylates C10-30 alkyl acrylate crosspolymer. Exp. Ref. No. C10-0602.01. 2010. Unpublished data submitted by the Council on Jan 11, 2011. (7 pp) Available from CIR.
54. Personal Care Products Council. Summaries of HRIPTs on products containing acrylates crosspolymer. 2-7-2011. Unpublished data submitted by the Council on Feb. 7, 2011. (1 p) Available from CIR.
55. Consumer Product Testing Co. Repeated insult patch test of a lipstick containing 4% acrylates crosspolymer. Experiment Ref. nO. c07-3553.01. 2007. Unpublished data submitted by the Council on Feb. 22, 2011. (13 pp) Available from CIR.
56. Orentreich Research Corporation. Predictive patch test study on a face powder + SPF containing 6.8565% acrylates/ethylhexyl acrylate crosspolymer. 2005. Unpublished data received from the Council on Feb. 8, 2011. (27 pp) Available from CIR.
57. Clinical Research Laboratories, Inc. Final report of a repeated insult patch test on a bath creme containing 2% acrylates/vinyl neodecanoate crosspolymer. CRL study no. CRL81207-15. 8-3-2007. Unpublished data received from the Council on Feb. 4, 2011. (13 pp) Available from CIR.
58. Clinical Research Laboratories, Inc. Final report of a repeated insult patch test on a bath creme containing 2% acrylates/vinyl neodecanoate crosspolymer. CRL study no. CRL148107-4. 12-21-2007. Unpublished data received from the Council on Feb. 4, 2011. (13 pp) Available from CIR.
59. Clinical Research Laboratories, Inc. Final report of a repeated insult patch test on a bubble bath formulation containing 2% acrylates/vinyl neodecanoate crosspolymer. CRL study no. CRL62208-14. 7-11-2008. Unpublished data received from the Council on Feb. 4, 2011. (13 pp) Available from CIR.
60. Clinical Research Laboratories, Inc. Final report of a repeated insult patch test on a bath gel containing 2% acrylates/vinyl neodecanoate crosspolymer. CRL study no. CRL69608-15. 8-1-2008. Unpublished data received from the Council on Feb. 4, 2011. (13 pp) Available from CIR.
61. Clinical Research Laboratories, Inc. Final report of a repeated insult patch test on a bath product containing 2% acrylates/vinyl neodecanoate crosspolymer. CRL study no. CRL75208-6. 8-8-2008. Unpublished data received from the Council on Feb. 4, 2011. (13 pp) Available from CIR.
62. Clinical Research Laboratories, Inc. Final report of a repeated insult patch test on a bath and shower foam containing 2% acrylates/vinyl neodecanoate crosspolymer. CRL study no. CRL43409-8. 7-10-2009. Unpublished data received from the Council on Feb. 4, 2011. (13 pp) Available from CIR.
63. Clinical Research Laboratories, Inc. Final report of a repeated insult patch test on a bath and shower foam containing 2% acrylates/vinyl neodecanoate crosspolymer. CRL study no. CRL43409-9. 7-10-2009. Unpublished data received from the Council on Feb. 4, 2011. (13 pp) Available from CIR.
64. Clinical Research Laboratories, Inc. Final report of a repeated insult patch test on a bath and shower foam containing 2% acrylates/vinyl neodecanoate crosspolymer. CRL study no. CRL43409-10. 7-10-2009. Unpublished data received from the Council on Feb. 4, 2011. (13 pp) Available from CIR.
65. Clinical Research Laboratories, Inc. Final report of a repeated insult patch test on a bubble bath formulation containing 2% acrylates/vinyl neodecanoate crosspolymer. CRL study no. CRL31010-15. 6-11-2010. Unpublished data received from the Council on Feb. 4, 2011. (13 pp) Available from CIR.
66. TKL Research. Summary report on a repeated insult patch test of a face powder containing 1% lauryl methacrylate/glycol dimethacrylate crosspolymer. TKL study no. DS102909-9. 5-20-2009. Unpublished data submitted by the Council on Feb. 7, 2011. (19 pp) Available from CIR.
67. Orentreich Research Corporation. Repeated insult patch test of an exfoliating facial mask containing 2.6% lauryl methacrylate/glycol dimethacrylate crosspolymer. 9-17-2008. Unpublished data submitted by the Council on Feb. 8, 2011. (33 pp) Available from CIR.

68. International Agency for Research on Cancer. Acrylic acid. <http://monographs.iarc.fr/ENG/Monographs/vol71/mono71-60.pdf>. 1987. Date Accessed 1-21-2011.
69. International Agency for Research on Cancer. Methyl acrylate. <http://monographs.iarc.fr/ENG/Monographs/vol71/mono71-104.pdf>. 1987. Date Accessed 1-21-2011.
70. International Agency for Research on Cancer. Ethyl acrylate. <http://monographs.iarc.fr/ENG/Monographs/vol71/mono71-99.pdf>. 1987. Date Accessed 1-21-2011.
71. International Agency for Research on Cancer. n-Butyl acrylate. <http://monographs.iarc.fr/ENG/Monographs/vol71/mono71-14.pdf>. 1987. Date Accessed 1-21-2011.
72. International Agency for Research on Cancer. 2-Ethylhexyl acrylate. <http://monographs.iarc.fr/ENG/Monographs/vol60/mono60-19.pdf>. 1994. Date Accessed 1-21-2011.
73. Andersen FA (ed). Final report on the safety assessment of methacrylic acid. *Int J Toxicol*. 2005;24:(Suppl 5):33-51.
74. International Agency for Research on Cancer. Methyl methacrylate. <http://monographs.iarc.fr/ENG/Monographs/vol60/mono60-18.pdf>. 1994. Date Accessed 1-21-2011.
75. Andersen FA (ed). Final report of the safety assessment of methacrylate ester monomers used in nail enhancement products. *Int J Toxicol*. 2005;24:(Suppl 5):53-100.
76. Becker LC, Berfeld WF, Belsito DV, Klaassen CD, Liebler DC, Hill RA, Marks JG, Shank RC, Slaga TJ, Snyder PW, and Andersen FA. Final report of the CIR Expert Panel on the safety assessment of polymethyl methacrylate (PMMA), methyl methacrylate crosspolymer, and methyl methacrylate/glycol dimethacrylate crosspolymer. 11-15-2010. Available from CIR, 1101 17th St, NW, Ste 412, Washington, DC 20036 [www.cir-safety.org](http://www.cir-safety.org).